

Zbtb25 Cas9-CKO Strategy

Designer: Xiaojing Li

Reviewer: JiaYu

Design Date: 2020-10-14

Project Overview



Project Name

Zbtb25

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Zbtb25 gene. The schematic diagram is as follows:



Technical routes



- ➤ The Zbtb25 gene has 6 transcripts. According to the structure of Zbtb25 gene, exon3 of Zbtb25-202(ENSMUST00000176102.7) transcript is recommended as the knockout region. The region contains 1147bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Zbtb25* gene. The brief process is as follows:sgRNA was transcribed in vitro, donor vector was constructed.Cas9, sgRNA and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- > The flox mice was knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- > The Zbtb25 gene is located on the Chr12. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Zbtb25 zinc finger and BTB domain containing 25 [Mus musculus (house mouse)]

Gene ID: 109929, updated on 13-Mar-2020

Summary

☆ ?

Official Symbol Zbtb25 provided by MGI

Official Full Name zinc finger and BTB domain containing 25 provided by MGI

Primary source MGI:MGI:99197

See related Ensembl: ENSMUSG00000056459

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 2810462M08Rik, 2900064P18Rik, Al842128, Kup, Zfp-50, Zfp50

Expression Ubiquitous expression in ovary adult (RPKM 3.3), limb E14.5 (RPKM 3.0) and 28 other tissuesSee more

Orthologs <u>human all</u>


Transcript information (Ensembl)



The gene has 6 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Zbtb25-202	ENSMUST00000176102.7	2707	439aa	Protein coding	CCDS25991	<u>G3UW50</u>	TSL:5 GENCODE basic APPRIS P1
Zbtb25-201	ENSMUST00000167011.7	1681	<u>439aa</u>	Protein coding	CCDS25991	<u>G3UW50</u>	TSL:2 GENCODE basic APPRIS P1
Zbtb25-204	ENSMUST00000176278.7	1672	<u>439aa</u>	Protein coding	CCDS25991	<u>G3UW50</u>	TSL:1 GENCODE basic APPRIS P1
Zbtb25-205	ENSMUST00000176509.7	1591	<u>67aa</u>	Protein coding	-	H3BLJ8	TSL:2 GENCODE basic
Zbtb25-203	ENSMUST00000176187.7	488	<u>140aa</u>	Protein coding	127	H3BKN3	CDS 3' incomplete TSL:3
Zbtb25-206	ENSMUST00000176967.1	438	<u>101aa</u>	Protein coding	-	H3BKL0	CDS 3' incomplete TSL:2

The strategy is based on the design of Zbtb25-202 transcript, the transcription is shown below:




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534





