

Kcnh4 Cas9-KO Strategy

Designer: Jia Yu

Reviewer: Xiaojing Li

Design Date: 2021-2-5

Project Overview



Project Name Kcnh4


Project type Cas9-KO

Strain background C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Kcnh4* gene. The schematic diagram is as follows:



Technical routes



- > The *Kcnh4* gene has 2 transcripts. According to the structure of *Kcnh4* gene, exon2-exon6 of *Kcnh4-202*(ENSMUST00000107363.2) transcript is recommended as the knockout region. The region contains 911bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Kcnh4* gene. The brief process is as follows: sgRNA was transcribed in vitro.Cas9 and sgRNA were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

Notice



- > The *Kcnh4* gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Kcnh4 potassium voltage-gated channel, subfamily H (eag-related), member 4 [Mus musculus (house mouse)]

Gene ID: 380728, updated on 13-Mar-2020

Summary



Official Symbol Kcnh4 provided by MGI

Official Full Name potassium voltage-gated channel, subfamily H (eag-related), member 4 provided by MGI

Primary source MGI:MGI:2156184

See related Ensembl:ENSMUSG00000035355

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as BEC2

Expression Biased expression in whole brain E14.5 (RPKM 10.0), CNS E18 (RPKM 9.3) and 7 other tissuesSee more

Orthologs <u>human</u> all


Transcript information (Ensembl)



The gene has 2 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Kcnh4-202	ENSMUST00000107363.2	3948	<u>1018aa</u>	Protein coding	CCDS36334	<u>A2A5F7</u>	TSL:5 GENCODE basic APPRIS P1
Kcnh4-201	ENSMUST00000107361.8	3748	<u>1018aa</u>	Protein coding	CCDS36334	<u>A2A5F7</u>	TSL:5 GENCODE basic APPRIS P1

The strategy is based on the design of *Kcnh4-202* transcript, the transcription is shown below:




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534





