

Slc22a13 Cas9-CKO Strategy

Designer: Rui Xiong

Reviewer: Shilei Zhu

Design Date: 2020-8-19

Project Overview



Project Name

Slc22a13

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Slc22a13 gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Slc22a13* gene has 1 transcript. According to the structure of *Slc22a13* gene, exon1 of *Slc22a13*-201(ENSMUST00000084797.5) transcript is recommended as the knockout region. The region contains start codon ATG. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Slc22a13* gene. The brief process is as follows:sgRNA was transcribed in vitro, donor vector was constructed.Cas9, sgRNA and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- ➤ The flox mice was knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- ➤ The KO region contains the intron of Slc22a14 gene. Knockout the region may affect the function of Slc22a14 gene.
- ➤ The *Slc22a13* gene is located on the Chr9. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Slc22a13 solute carrier family 22 (organic cation transporter), member 13 [Mus musculus (house mouse)]

Gene ID: 102570, updated on 13-Mar-2020

Summary

2 7

Official Symbol Slc22a13 provided by MGI

Official Full Name solute carrier family 22 (organic cation transporter), member 13 provided by MGI

Primary source MGI:MGI:2143107

See related Ensembl:ENSMUSG00000074028

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as AI648912, OCTL1, OCTL3, ORCTL3

Expression Restricted expression toward kidney adult (RPKM 69.2)See more

Orthologs <u>human</u> all


Transcript information (Ensembl)



The gene has 1 transcript, and the transcript is shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags	
Slc22a13-201	ENSMUST00000084797.5	2001	<u>551aa</u>	Protein coding	CCDS40802	Q6A4L0	TSL:1 GENCODE basic APPRIS P1	

The strategy is based on the design of *Slc22a13-201* transcript, the transcription is shown below:



Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534





