

John Start Fbxo4 Cas9-CKO Strategy Romphalmakech Co.

Cenphannax ech Co.

Gensola Lander Co. (XX JiaYu

Project Overview



Project Name Fbxo4


Project type Cas9-CKO

Strain background C57BL/6J

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Fbxo4* gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Fbxo4* gene has 3 transcripts. According to the structure of *Fbxo4* gene, exon2 of *Fbxo4-201*(ENSMUST00000022791.8) transcript is recommended as the knockout region. The region contains 236bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Fbxo4* gene. The brief process is as follows:sgRNA was transcribed in vitro, donor vector was constructed.Cas9, sgRNA and Donor were microinjected into the fertilized eggs of C57BL/6J mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6J mice.
- The flox mice was knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- ➤ According to the existing MGI data, Mice homozygous or heterozygous for a knock-out allele exhibit increased tumor incidence of lymphoblastic lineage and premature death. Mice homozygous for a different knock-out allele are indistinguishable from wild-type mice.
- > The *Fbxo4* gene is located on the Chr15. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Fbxo4 F-box protein 4 [Mus musculus (house mouse)]

Gene ID: 106052, updated on 31-Jan-2019

Summary

☆ ?

Official Symbol Fbxo4 provided by MGI

Official Full Name F-box protein 4 provided by MGI

Primary source MGI:MGI:2146220

See related Ensembl:ENSMUSG00000022184

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 1700096C12Rik, Al851261, AW494535, Fbx4

Expression Ubiquitous expression in genital fat pad adult (RPKM 4.2), bladder adult (RPKM 3.8) and 28 other tissuesSee more

Orthologs <u>human</u> <u>all</u>


Transcript information (Ensembl)



The gene has 3 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Fbxo4-201	ENSMUST00000022791.8	1565	<u>385aa</u>	Protein coding	CCDS27359	<u>Q8CHQ0</u>	TSL:1 GENCODE basic APPRIS P1
Fbxo4-203	ENSMUST00000148817.1	448	No protein	Processed transcript	-	-	TSL:3
Fbxo4-202	ENSMUST00000148169.1	583	No protein	Retained intron	-	-	TSL:2

The strategy is based on the design of *Fbxo4-201* transcript, The transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Mice homozygous or heterozygous for a knock-out allele exhibit increased tumor incidence of lymphoblastic lineage and premature death. Mice homozygous for a different knock-out allele are indistinguishable from wild-type mice.



If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534





