

# Rab5c Cas9-KO Strategy

Designer: Jiayuan Yao

**Reviewer: Shanhong Tao** 

**Design Date: 2021-3-8** 

## **Project Overview**



Project Name Rab5c


Project type Cas9-KO

Strain background C57BL/6JGpt

# **Knockout strategy**



This model will use CRISPR/Cas9 technology to edit the *Rab5c* gene. The schematic diagram is as follows:



### **Technical routes**



- ➤ The *Rab5c* gene has 4 transcripts. According to the structure of *Rab5c* gene, exon2 of *Rab5c*201(ENSMUST00000019317.11) transcript is recommended as the knockout region. The region contains start codon
  ATG.Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Rab5c* gene. The brief process is as follows: sgRNA was transcribed in vitro.Cas9 and sgRNA were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

### **Notice**



- $\succ$  The *Rab5c* gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- > This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

### Gene information (NCBI)



#### Rab5c RAB5C, member RAS oncogene family [Mus musculus (house mouse)]

Gene ID: 19345, updated on 13-Mar-2020

#### Summary

☆ ?

Official Symbol Rab5c provided by MGI

Official Full Name RAB5C, member RAS oncogene family provided by MGI

Primary source MGI:MGI:105306

See related Ensembl:ENSMUSG00000019173

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as Al326010, Rabl

Expression Ubiquitous expression in kidney adult (RPKM 167.3), duodenum adult (RPKM 128.1) and 28 other tissuesSee more

Orthologs <u>human</u> all


# Transcript information (Ensembl)



The gene has 4 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Rab5c-201	ENSMUST00000019317.11	1967	234aa	Protein coding	CCDS79048	Q8C266	TSL:1 GENCODE basic
Rab5c-202	ENSMUST00000107364.7	1915	216aa	Protein coding	CCDS36333	P35278 Q3TJ39	TSL:1 GENCODE basic APPRIS P1
Rab5c-203	ENSMUST00000155500.1	441	<u>34aa</u>	Protein coding	140	A2A5F6	CDS 3' incomplete TSL:3
Rab5c-204	ENSMUST00000155843.1	412	83aa	Protein coding	121	A2A5F5	CDS 3' incomplete TSL:3

The strategy is based on the design of *Rab5c-201* transcript, the transcription is shown below:




### Genomic location distribution






### Protein domain





# Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).



If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534





