

# ***Fbxo27*** Cas9-CKO Strategy

Designer: Xiaojing Li  
Design Date: 2019-8-8

# Project Overview

**Project Name**

***Fbxo27***

**Project type**


**Cas9-CKO**

**Strain background**

**C57BL/6J**

# Conditional Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Fbxo27* gene. The schematic diagram is as follows:



- The *Fbxo27* gene has 5 transcripts. According to the structure of *Fbxo27* gene, exon1-exon4 of *Fbxo27-203* (ENSMUST00000108281.7) transcript is recommended as the knockout region. The region contains start codon ATG. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Fbxo27* gene. The brief process is as follows: sgRNA was transcribed in vitro, donor vector was constructed. Cas9, sgRNA and Donor were microinjected into the fertilized eggs of C57BL/6J mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6J mice.
- The flox mice was knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

# Notice

- The *Fbxo27* gene is located on the Chr7. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.



# Gene information (NCBI)

## Fbxo27 F-box protein 27 [Mus musculus (house mouse)]

Gene ID: 233040, updated on 3-Feb-2019

### Summary




<b>Official Symbol</b>	Fbxo27 provided by <a href="#">MGI</a>
<b>Official Full Name</b>	F-box protein 27 provided by <a href="#">MGI</a>
<b>Primary source</b>	<a href="#">MGI:MGI:2685007</a>
<b>See related</b>	<a href="#">Ensembl:ENSMUSG000000037463</a>
<b>Gene type</b>	protein coding
<b>RefSeq status</b>	VALIDATED
<b>Organism</b>	<a href="#">Mus musculus</a>
<b>Lineage</b>	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
<b>Also known as</b>	E130008B10Rik, FBG5, Gm161
<b>Expression</b>	Broad expression in cerebellum adult (RPKM 9.8), placenta adult (RPKM 8.9) and 19 other tissues <a href="#">See more</a>
<b>Orthologs</b>	<a href="#">human</a> <a href="#">all</a>

# Transcript information (Ensembl)


The gene has 5 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Fbxo27-203	<a href="#">ENSMUST00000108281.7</a>	1948	<a href="#">280aa</a>	Protein coding	<a href="#">CCDS52164</a>	<a href="#">Q6DIA9</a>	TSL:1 GENCODE basic APPRIS ALT2
Fbxo27-201	<a href="#">ENSMUST00000039998.10</a>	1946	<a href="#">279aa</a>	Protein coding	<a href="#">CCDS21051</a>	<a href="#">Q6DIA9</a>	TSL:1 GENCODE basic APPRIS P3
Fbxo27-202	<a href="#">ENSMUST00000108280.1</a>	2031	<a href="#">156aa</a>	Protein coding	-	<a href="#">Q3TEI7</a>	TSL:1 GENCODE basic
Fbxo27-204	<a href="#">ENSMUST00000127368.1</a>	458	<a href="#">46aa</a>	Protein coding	-	<a href="#">A0A140LHU7</a>	CDS 5' incomplete TSL:3
Fbxo27-205	<a href="#">ENSMUST00000151227.1</a>	309	<a href="#">73aa</a>	Protein coding	-	<a href="#">D3Z3I2</a>	CDS 3' incomplete TSL:3

The strategy is based on the design of *Fbxo27-203* transcript,The transcription is shown below




# Genomic location distribution





# Protein domain



If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534

