

Mapk6 Cas9-KO Strategy

Designer: QiongZhou

Project Overview



Project Name Mapk6


Project type Cas9-KO

Strain background C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Mapk6* gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Mapk6* gene has 7 transcripts. According to the structure of *Mapk6* gene, exon2-exon6 of *Mapk6-202* (ENSMUST00000168937.7) transcript is recommended as the knockout region. The region contains all of the coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Mapk6* gene. The brief process is as follows: sgRNA was transcribed in vitro.Cas9 and sgRNA were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

Notice



- ➤ According to the existing MGI data, homozygous null mice show limited fetal growth, reduced serum igf2 levels, pulmonary hypoplasia and early neonatal death. about 40% of newborns die of acute respiratory failure exhibiting delayed lung maturation, reduced sacculation, atelectasis, and impaired type ii pneumocyte differentiation.
- ➤ The *Mapk6* gene is located on the Chr9. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Mapk6 mitogen-activated protein kinase 6 [Mus musculus (house mouse)]

Gene ID: 50772, updated on 13-Mar-2020

Summary

☆ ?

Official Symbol Mapk6 provided by MGI

Official Full Name mitogen-activated protein kinase 6 provided by MGI

Primary source MGI:MGI:1354946

See related Ensembl: ENSMUSG00000042688

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 2610021123Rik, D130053K17Rik, Erk3, Mapk4, Mapk63, Prkm4, Prkm6

Expression Broad expression in testis adult (RPKM 62.3), CNS E11.5 (RPKM 31.4) and 25 other tissuesSee more

Orthologs <u>human all</u>


Transcript information (Ensembl)



The gene has 7 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Mapk6-202	ENSMUST00000168937.7	4089	720aa	Protein coding	CCDS23342	Q61532	TSL:5 GENCODE basic APPRIS P1
Mapk6-201	ENSMUST00000049355.10	4072	<u>720aa</u>	Protein coding	CCDS23342	Q61532	TSL:1 GENCODE basic APPRIS P1
Mapk6-206	ENSMUST00000173460.1	875	No protein	Processed transcript	WEI	727	TSL:2
Mapk6-203	ENSMUST00000172665.1	471	No protein	Processed transcript	3580	2.5	TSL:3
Mapk6-205	ENSMUST00000173230.1	265	No protein	Processed transcript	1340	32	TSL:5
Mapk6-204	ENSMUST00000172946.1	3228	No protein	Retained intron	850		TSL:1
Mapk6-207	ENSMUST00000174034.1	615	No protein	Retained intron	(c=)	7.65	TSL:2

The strategy is based on the design of *Mapk6-202* transcript, the transcription is shown below:




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, homozygous null mice show limited fetal growth, reduced serum IGF2 levels, pulmonary hypoplasia and early neonatal death. About 40% of newborns die of acute respiratory failure exhibiting delayed lung maturation, reduced sacculation, atelectasis, and impaired type II pneumocyte differentiation.



If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534





