

Rad23b Cas9-KO Strategy

Designer: Daohua Xu

Reviewer: Huimin Su

Design Date: 2019-9-20

Project Overview




Project Name	Rad23b
Project type	Cas9-KO
Strain background	C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Rad23b* gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Rad23b* gene has 4 transcripts. According to the structure of *Rad23b* gene, exon2 of *Rad23b*201(ENSMUST00000030134.9) transcript is recommended as the knockout region. The region contains 82bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Rad23b* gene. The brief process is as follows: CRISPR/Cas9 system were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

Notice



- > According to the existing MGI data, mice homozygous for a disruption in this gene usually die around the time of birth. Those that survive show growth retardation, eye, reproductive, behavioral, and digestive system abnormalities. They usually die within 1 year of birth.
- > The *Rad23b* gene is located on the Chr4. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Rad23b RAD23 homolog B, nucleotide excision repair protein [Mus musculus (house mouse)]

Gene ID: 19359, updated on 13-Mar-2020

Summary

☆ ?

Official Symbol Rad23b provided by MGI

Official Full Name RAD23 homolog B, nucleotide excision repair protein provided by MGI

Primary source MGI:MGI:105128

See related Ensembl:ENSMUSG00000028426

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 0610007D13Rik, AV001138, HR23B, mHR23B, p58

Expression Ubiquitous expression in testis adult (RPKM 58.0), CNS E11.5 (RPKM 42.9) and 28 other tissuesSee more

Orthologs human all


Transcript information (Ensembl)



The gene has 4 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Rad23b-201	ENSMUST00000030134.8	3810	416aa	Protein coding	CCDS18194	P54728	TSL:1 GENCODE basic APPRIS is a system to annotate alternatively spliced transcripts based on a range of computational methods to identify the most functionally important transcript(s) of a gene. APPRIS P1
Rad23b-202	ENSMUST00000127266.1	2176	No protein	Processed transcript			TSL:1
Rad23b-204	ENSMUST00000156263.1	776	No protein	Processed transcript	-	12	TSL:3
Rad23b-203	ENSMUST00000148719.1	663	No protein	Processed transcript	1/23	12	TSL:1

The strategy is based on the design of *Rad23b-201* transcript, the transcription is shown below:



Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data,mice homozygous for a disruption in this gene usually die around the time of birth. Those that survive show growth retardation, eye, reproductive, behavioral, and digestive system abnormalities. They usually die within 1 year of birth.



If you have any questions, you are welcome to inquire.

Tel: 400-9660890





