

Wnt9b Cas9-KO Strategy

Designer:

Huan Fan

Reviewer:

Huan Wang

Design Date:

2019-12-11

Project Overview

Project Name

Wnt9b

Project type

Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Wnt9b* gene. The schematic diagram is as follows:



- The *Wnt9b* gene has 1 transcript. According to the structure of *Wnt9b* gene, exon2 of *Wnt9b-201* (ENSMUST00000018630.2) transcript is recommended as the knockout region. The region contains 257bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Wnt9b* gene. The brief process is as follows: CRISPR/Cas9 system

- According to the existing MGI data, Homozygous null mice display neonatal lethality, disrupted ureteric bud branching, impaired Mullerian duct formation, and incompletely penetrant cleft lip and palate. In mice with alleles that decrease expression kidneys are smaller with fewer mature nephrons.
- The *Wnt9b* gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Wnt9b wingless-type MMTV integration site family, member 9B [Mus musculus (house mouse)]

Gene ID: 22412, updated on 19-Mar-2019

Summary




Official Symbol	Wnt9b provided by MGI
Official Full Name	wingless-type MMTV integration site family, member 9B provided by MGI
Primary source	MGI:MGI:1197020
See related	Ensembl:ENSMUSG00000018486
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	Wnt14b, Wnt15, clf, clf1, wnt-14b, wnt-15
Expression	Broad expression in kidney adult (RPKM 1.2), cerebellum adult (RPKM 0.3) and 17 other tissues See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 1 transcript, and the transcript is shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Wnt9b-201	ENSMUST00000018630.2	4518	359aa	Protein coding	CCDS25522	Q35468 Q2TBA6	TSL:1 GENCODE basic APPRIS P1


The strategy is based on the design of *Wnt9b-201* transcript, The transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Homozygous null mice display neonatal lethality, disrupted ureteric bud branching, impaired Mullerian duct formation, and incompletely penetrant cleft lip and palate. In mice with alleles that decrease expression kidneys are smaller with fewer mature nephrons.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

