

Loxl3 Cas9-KO Strategy

Designer: Lingyan Wu

Reviewer: Miaomiao Cui

Design Date: 2021-3-31

Project Overview



Project Name Loxl3


Project type Cas9-KO

Strain background C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Loxl3* gene. The schematic diagram is as follows:



Technical routes



- > The *Loxl3* gene has 5 transcripts. According to the structure of *Loxl3* gene, exon3-exon4 of *Loxl3*-201(ENSMUST0000000707.9) transcript is recommended as the knockout region. The region contains 379bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Loxl3* gene. The brief process is as follows: CRISPR/Cas9 system were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

Notice



- > According to the existing MGI data, mice homozygous for a knock-out allele exhibit lethality shortly after birth, craniofacial and vertebral abnormalities associated with collagen deformities.
- The *Loxl3* gene is located on the Chr6. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



LoxI3 lysyl oxidase-like 3 [Mus musculus (house mouse)]

Gene ID: 16950, updated on 13-Mar-2020

Summary

☆ ?

Official Symbol LoxI3 provided by MGI

Official Full Name lysyl oxidase-like 3 provided by MGI

Primary source MGI:MGI:1337004

See related Ensembl: ENSMUSG00000000693

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as Lor2, Lox12

Expression Ubiquitous expression in limb E14.5 (RPKM 18.2), bladder adult (RPKM 8.2) and 28 other tissuesSee more

Orthologs human all


Transcript information (Ensembl)



The gene has 5 transcripts, all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Lox13-201	ENSMUST00000000707.8	4098	<u>754aa</u>	Protein coding	CCDS20266	Q9Z175	TSL:1 GENCODE basic APPRIS is a system to annotate alternatively spliced transcripts based on a range of computational methods to identify the most functionally important transcript(s) of a gene. APPRIS P1
Lox13-202	ENSMUST00000101257.3	3252	472aa	Protein coding	-	E9Q0X7	TSL:1 GENCODE basic
Lox13-205	ENSMUST00000204318.1	617	No protein	Processed transcript	9	20	TSL:5
Lox13-203	ENSMUST00000152679.7	462	No protein	Processed transcript	12	25	TSL:2
Lox13-204	ENSMUST00000155502.1	611	No protein	Retained intron	-	51	TSL:5

The strategy is based on the design of *Loxl3-201* transcript, the transcription is shown below:




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, mice homozygous for a knock-out allele exhibit lethality shortly after birth, craniofacial and vertebral abnormalities associated with collagen deformities.



If you have any questions, you are welcome to inquire.

Tel: 400-9660890





