

Ralyl Cas9-KO Strategy

Designer: Shilei Zhu

Reviewer: Lingyan Wu

Design Date: 2020-9-8

Project Overview



Project Name Ralyl


Project type Cas9-KO

Strain background C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Ralyl* gene. The schematic diagram is as follows:



Technical routes



- The *Ralyl* gene has 7 transcripts. According to the structure of *Ralyl* gene, exon3 of *Ralyl-206*(ENSMUST00000193117.2) transcript is recommended as the knockout region. The region contains 76bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Ralyl* gene. The brief process is as follows: CRISPR/Cas9 system were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

Notice



- > The *Ralyl* gene is located on the Chr3. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.
- ➤ Transcript *Ralyl-202/204* may not be affected.

Gene information (NCBI)



Ralyl RALY RNA binding protein-like [Mus musculus (house mouse)]

Gene ID: 76897, updated on 13-Mar-2020

Summary

☆ ?

Official Symbol Ralyl provided by MGI

Official Full Name RALY RNA binding protein-like provided by MGI

Primary source MGI:MGI:1924147

See related Ensembl:ENSMUSG00000039717

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 0710005M24Rik

Expression Biased expression in CNS E18 (RPKM 5.5), cerebellum adult (RPKM 4.8) and 5 other tissuesSee more

Orthologs <u>human all</u>

Transcript information (Ensembl)



The gene has 7 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Ralyl-206	ENSMUST00000193117.2	2933	293aa	Protein coding	CCDS84609	Q8BTF8	TSL:2 GENCODE basic APPRIS P1
Ralyl-201	ENSMUST00000108372.3	1980	220aa	Protein coding	CCDS50863	Q8BTF8	TSL:1 GENCODE basic
Ralyl-205	ENSMUST00000192209.5	662	<u>164aa</u>	Protein coding	CCDS50864	A0A0A6YXQ8	TSL:3 GENCODE basic
Ralyl-203	ENSMUST00000171075.7	1459	<u>148aa</u>	Protein coding	.T.	E9Q5X7	TSL:5 GENCODE basic
Ralyl-207	ENSMUST00000211860.1	717	<u>163aa</u>	Protein coding	2	A0A1D5RLM5	CDS 3' incomplete TSL:5
Ralyl-204	ENSMUST00000191806.2	661	<u>85aa</u>	Protein coding	a a	A0A1D5RLK6	CDS 3' incomplete TSL:2
Ralyl-202	ENSMUST00000108373.3	267	89aa	Protein coding	-	A0A1D5RMF0	TSL:5 GENCODE basic

The strategy is based on the design of *Ralyl-206* transcript, the transcription is shown below:




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire. Tel: 400-9660890





