

Ces5a Cas9-KO Strategy

Designer: Miaomiao Cui

Reviewer: Lingyan Wu

Design Date: 2021-7-9

Project Overview




Project Name	Ces5a
Project type	Cas9-KO
Strain background	C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Ces5a* gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Ces5a* gene has 6 transcripts. According to the structure of *Ces5a* gene, exon2 of *Ces5a*203(ENSMUST00000212009.2) transcript is recommended as the knockout region. The region contains 205bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Ces5a* gene. The brief process is as follows: sgRNA was transcribed in vitro.Cas9 and sgRNA were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

Notice



- > The Ces5a gene is located on the Chr8. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- ➤ Transcript Ces5a-202 may not be affected.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Ces5a carboxylesterase 5A [Mus musculus (house mouse)]

Gene ID: 67935, updated on 29-Jan-2021

Summary

☆ ?

Official Symbol Ces5a provided by MGI

Official Full Name carboxylesterase 5A provided by MGI

Primary source MGI:MGI:1915185

See related Ensembl: ENSMUSG00000058019

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 1700081L16Rik, 1700122C07Rik, BB081581, Ces, Ces7, Gm503, cau, cauxin Expression Restricted expression toward genital fat pad adult (RPKM 296.4)See more

Orthologs <u>human all</u>


Transcript information (Ensembl)



The gene has 6 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Ces5a-203	ENSMUST00000212009.2	2042	<u>575aa</u>	Protein coding	CCDS85584		TSL:1 , GENCODE basic , APPRIS P1 ,
Ces5a-201	ENSMUST00000077816.7	1728	<u>575aa</u>	Protein coding			TSL:5 , GENCODE basic , APPRIS P1 ,
Ces5a-206	ENSMUST00000212722.2	914	<u>263aa</u>	Protein coding	853		CDS 3' incomplete , TSL:3 ,
Ces5a-202	ENSMUST00000080391.14	987	No protein	Processed transcript	17.0		TSL:1,
Ces5a-205	ENSMUST00000212690.2	525	No protein	Processed transcript	525		TSL:3,
Ces5a-204	ENSMUST00000212407.2	456	No protein	Processed transcript	(7)		TSL:1,

The strategy is based on the design of Ces5a-203 transcript, the transcription is shown below:



Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534





