

# *Vps35* Cas9-KO Strategy

**Designer: Huan Wang**

**Reviewer: Wenjing Li**

**Design Date: 2020-8-5**

# Project Overview

**Project Name**

*Vps35*

**Project type**


**Cas9-KO**

**Strain background**

**C57BL/6JGpt**

# Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Vps35* gene. The schematic diagram is as follows:



- The *Vps35* gene has 5 transcripts. According to the structure of *Vps35* gene, exon3-exon5 of *Vps35-201*(ENSMUST00000034131.9) transcript is recommended as the knockout region. The region contains 404bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Vps35* gene. The brief process is as follows: CRISPR/Cas9 system were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

- According to the existing MGI data, mice homozygous for a gene trap allele die prior to E10.
- The *Vps35* gene is located on the Chr8. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.



# Gene information (NCBI)

## Vps35 VPS35 retromer complex component [Mus musculus (house mouse)]

Gene ID: 65114, updated on 13-Mar-2020

### Summary




<b>Official Symbol</b>	Vps35 provided by <a href="#">MGI</a>
<b>Official Full Name</b>	VPS35 retromer complex component provided by <a href="#">MGI</a>
<b>Primary source</b>	<a href="#">MGI:MGI:1890467</a>
<b>See related</b>	<a href="#">Ensembl:ENSMUSG00000031696</a>
<b>Gene type</b>	protein coding
<b>RefSeq status</b>	VALIDATED
<b>Organism</b>	<a href="#">Mus musculus</a>
<b>Lineage</b>	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
<b>Also known as</b>	Al647796, Mem3
<b>Expression</b>	Broad expression in placenta adult (RPKM 65.1), bladder adult (RPKM 38.4) and 21 other tissues <a href="#">See more</a>
<b>Orthologs</b>	<a href="#">human</a> <a href="#">all</a>

# Transcript information (Ensembl)


The gene has 5 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Vps35-201	<a href="#">ENSMUST00000034131.9</a>	3474	<a href="#">796aa</a>	Protein coding	<a href="#">CCDS40421</a>	<a href="#">Q3TRJ1</a> <a href="#">Q9EQH3</a>	TSL:1 GENCODE basic APPRIS P1
Vps35-204	<a href="#">ENSMUST00000211154.1</a>	448	No protein	Processed transcript	-	-	TSL:5
Vps35-202	<a href="#">ENSMUST00000209228.1</a>	308	No protein	Processed transcript	-	-	TSL:5
Vps35-203	<a href="#">ENSMUST00000209277.1</a>	5002	No protein	Retained intron	-	-	TSL:NA
Vps35-205	<a href="#">ENSMUST00000211479.1</a>	473	No protein	Retained intron	-	-	TSL:2

The strategy is based on the design of *Vps35-201* transcript,the transcription is shown below:




# Genomic location distribution






# Protein domain



# Mouse phenotype description(MGI )



*Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).*

According to the existing MGI data, mice homozygous for a gene trap allele die prior to E10.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

