

# Vps18 Cas9-KO Strategy

Designer: Shilei Zhu

Reviewer: Longyun Hu

**Design Date: 2020-7-24** 

## **Project Overview**



**Project Name** 

Vps18

**Project type** 

Cas9-KO


Strain background

C57BL/6JGpt

## **Knockout strategy**



This model will use CRISPR/Cas9 technology to edit the *Vps18* gene. The schematic diagram is as follows:



### **Technical routes**



- ➤ The *Vps18* gene has 3 transcripts. According to the structure of *Vps18* gene, exon2 of *Vps18*-201(ENSMUST00000037280.4) transcript is recommended as the knockout region. The region contains 142bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Vps18* gene. The brief process is as follows: CRISPR/Cas9 system were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

### **Notice**



- > According to the existing MGI data, mice homozygous for a reporter allele exhibit preweaning lethality. Mice homozygous for a conditional allele activated in the nervous system exhibit impaired neuron migration and neurodegeneration associated with increased apoptosis and impaired autophagy and endocytosis.
- > The *Vps18* gene is located on the Chr2. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

## Gene information (NCBI)



#### Vps18 VPS18 CORVET/HOPS core subunit [Mus musculus (house mouse)]

Gene ID: 228545, updated on 13-Mar-2020

#### Summary

☆ ?

Official Symbol Vps18 provided by MGI

Official Full Name VPS18 CORVET/HOPS core subunit provided by MGI

Primary source MGI:MGI:2443626

See related Ensembl:ENSMUSG00000034216

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 9930024E13Rik

Expression Ubiquitous expression in ovary adult (RPKM 14.4), adrenal adult (RPKM 13.3) and 28 other tissuesSee more

Orthologs <u>human all</u>


## Transcript information (Ensembl)



The gene has 3 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Vps18-201	ENSMUST00000037280.4	4054	<u>973aa</u>	Protein coding	CCDS16599	Q8R307	TSL:1 GENCODE basic APPRIS P1
Vps18-203	ENSMUST00000151500.1	3914	No protein	Processed transcript	-	:=	TSL:1
Vps18-202	ENSMUST00000139367.7	3194	No protein	Retained intron	2	- 12	TSL:1

The strategy is based on the design of *Vps18-201* transcript, the transcription is shown below:




### Genomic location distribution






### Protein domain





## Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data,mice homozygous for a reporter allele exhibit preweaning lethality. Mice homozygous for a conditional allele activated in the nervous system exhibit impaired neuron migration and neurodegeneration associated with increased apoptosis and impaired autophagy and endocytosis.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





