

Zpbp2 Cas9-KO Strategy

Designer:Shuang Zhang

Reviewer: Yun Li

Design Date: 2021-4-7

Project Overview



Project Name Zpbp2


Project type Cas9-KO

Strain background C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Zpbp2* gene. The schematic diagram is as follows:



Technical routes



- > The Zpbp2 gene has 6 transcripts. According to the structure of Zpbp2 gene, exon3-exon5 of Zpbp2-201(ENSMUST00000017339.12) transcript is recommended as the knockout region. The region contains 507bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Zpbp2* gene. The brief process is as follows: CRISPR/Cas9 system were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

Notice



- > According to the existing MGI data, male mice homozygous for a null mutation display reduced fecundity, mild teratozoospermia, and delayed fertilization.
- > The Zpbp2 gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Zpbp2 zona pellucida binding protein 2 [Mus musculus (house mouse)]

Gene ID: 69376, updated on 25-Sep-2020

Summary

☆ ?

Official Symbol Zpbp2 provided by MGI

Official Full Name zona pellucida binding protein 2 provided by MGI

Primary source MGI:MGI:1916626

See related Ensembl:ENSMUSG00000017195

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 1700017D11Rik, 2610022C02Rik, ZPBPL

Expression Restricted expression toward testis adult (RPKM 85.4)See more

Orthologs <u>human all</u>


Transcript information (Ensembl)



The gene has 6 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Zpbp2-203	ENSMUST00000107509.8	1577	272aa	Protein coding	CCDS48903		TSL:1, GENCODE basic, APPRIS ALT2,
Zpbp2-201	ENSMUST00000017339.12	1455	<u>326aa</u>	Protein coding	CCDS25353		TSL:1 , GENCODE basic , APPRIS P3 ,
Zpbp2-204	ENSMUST00000107511.8	1395	272aa	Protein coding	CCDS48903		TSL:1, GENCODE basic, APPRIS ALT2,
Zpbp2-202	ENSMUST00000081033.13	1300	253aa	Protein coding	CCDS25354		TSL:1 , GENCODE basic ,
Zpbp2-205	ENSMUST00000107513.3	1240	<u>304aa</u>	Protein coding	828		TSL:5 , GENCODE basic , APPRIS ALT2 ,
Zpbp2-206	ENSMUST00000126236.2	484	No protein	Processed transcript	453		TSL:3,

The strategy is based on the design of *Zpbp2-201* transcript, the transcription is shown below:



Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data,male mice homozygous for a null mutation display reduced fecundity, mild teratozoospermia, and delayed fertilization.



If you have any questions, you are welcome to inquire.

Tel: 400-9660890





