

Cpa5 Cas9-KO Strategy

Designer: Yun Li

Reviewer: Shuang Zhang

Design Date: 2021-7-15

Project Overview




Project Name	Cpa5
Project type	Cas9-KO
Strain background	C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Cpa5* gene. The schematic diagram is as follows:



Technical routes



- > The *Cpa5* gene has 4 transcripts. According to the structure of *Cpa5* gene, exon3 of *Cpa5*201(ENSMUST00000062758.11) transcript is recommended as the knockout region. The region contains 82bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Cpa5* gene. The brief process is as follows: sgRNA was transcribed in vitro.Cas9 and sgRNA were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

Notice



- > The *Cpa5* gene is located on the Chr6. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Cpa5 carboxypeptidase A5 [Mus musculus (house mouse)]

Gene ID: 74649, updated on 10-Oct-2020

Summary

☆ ?

Official Symbol Cpa5 provided by MGI

Official Full Name carboxypeptidase A5 provided by MGI

Primary source MGI:MGI:1921899

See related Ensembl: ENSMUSG00000029788

Gene type protein coding
RefSeq status REVIEWED

Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 4930430M09Rik

Summary This gene encodes a member of the carboxypeptidase A family of zinc metalloproteases. The encoded preproprotein

undergoes proteolytic processing that removes the N-terminal activation peptide to generate a functional enzyme. This gene

is expressed in mouse testes where the encoded protein is localized to the germ cells. This gene is located in a cluster of

carboxypeptidase genes on chromosome 6. [provided by RefSeq, Jul 2016]

Expression Restricted expression toward testis adult (RPKM 29.3)See more

Orthologs <u>human all</u>

Transcript information (Ensembl)



The gene has 4 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Cpa5-201	ENSMUST00000062758.11	2187	<u>436aa</u>	Protein coding	CCDS19976		TSL:1 , GENCODE basic , APPRIS P1 ,
Cpa5-203	ENSMUST00000115139.8	2070	<u>436aa</u>	Protein coding	CCDS19976		TSL:1, GENCODE basic, APPRIS P1,
Cpa5-202	ENSMUST00000115138.8	1778	399aa	Protein coding	12		TSL:5 , GENCODE basic ,
Cpa5-204	ENSMUST00000165949.2	1263	309aa	Nonsense mediated decay			TSL:1,

The strategy is based on the design of *Cpa5-201* transcript, the transcription is shown below:




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire.

Tel: 025-5864 1534





