

Syp Cas9-CKO Strategy

Designer: Huan Fan

Reviewer: Huan Wang

Design Date: 2020-5-26

Project Overview



Project Name

Project type

Cas9-CKO

Syp


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Syp* gene. The schematic diagram is as follows:



Technical routes



- The *Syp* gene has 6 transcripts. According to the structure of *Syp* gene, exon2-exon3 of *Syp-201*(ENSMUST00000069520.10) transcript is recommended as the knockout region. The region contains 191bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Syp* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- ➤ According to the existing MGI data,mice homozygous for either one of two independently generated knock-out mutations are viable and fertile and display normal central nervous system morphology and synaptic transmission with no detectable changes in synaptic plasticity or neurotransmitter release.
- The *Syp* gene is located on the ChrX. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- > This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Syp synaptophysin [Mus musculus (house mouse)]

Gene ID: 20977, updated on 13-Mar-2020

Summary

☆ ?

Official Symbol Syp provided by MGI

Official Full Name synaptophysin provided by MGI

Primary source MGI:MGI:98467

See related Ensembl: ENSMUSG00000031144

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as A230093K24Rik, Al848995, Syn, p38

Expression Biased expression in cortex adult (RPKM 270.0), frontal lobe adult (RPKM 246.0) and 4 other tissuesSee more

Orthologs human all


Transcript information (Ensembl)



The gene has 6 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Syp-201	ENSMUST00000069520.10	2591	314aa	Protein coding	CCDS29967	Q62277	TSL:1 GENCODE basic APPRIS is a system to annotate alternatively spliced transcripts based on a range of computational methods to identify the most functionally important transcript(s) of a gene. APPRIS P1
Syp-202	ENSMUST00000128890.1	494	<u>165aa</u>	Protein coding	180	F6VR28	5' and 3' truncations in transcript evidence prevent annotation of the start and the end of the CDS. CDS 5' and 3' incomplete TSL:3
Syp-206	ENSMUST00000150572.7	433	No protein	Processed transcript	(3)	12	TSL:2
Syp-205	ENSMUST00000149795.7	2843	No protein	Retained intron	122	===	TSL:1
Syp-204	ENSMUST00000137515.1	430	No protein	Retained intron		8	TSL:2
Syp-203	ENSMUST00000134355.1	417	No protein	Retained intron	-	-	TSL:2

The strategy is based on the design of *Syp-201* transcript, the transcription is shown below:




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire. Tel: 400-9660890





