

Sema3c Cas9-CKO Strategy

Designer: Jiayuan Yao

Reviewer: Shanhong Tao

Design Date: 2021-3-29

Project Overview

Project Name

Sema3c

Project type


Cas9-CKO

Strain background

C57BL/6JGpt

Conditional Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Sema3c* gene. The schematic diagram is as follows:



Technical routes

- The *Sema3c* gene has 5 transcripts. According to the structure of *Sema3c* gene, exon3-exon4 of *Sema3c-201*(ENSMUST00000030568.13) transcript is recommended as the knockout region. The region contains 224bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Sema3c* gene. The brief process is as follows: CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

- According to the existing MGI data, mice homozygous for an ENU mutation exhibit perinatal lethality, hypopigmentation and abnormal heart development. Mice homozygous for a knock-out allele exhibit prenatal lethality associated with heart defects.
- The *Sema3c* gene is located on the Chr5. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)

Sema3c sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3C [Mus musculus (house mouse)]

Gene ID: 20348, updated on 13-Mar-2020

Summary




Official Symbol	Sema3c provided by MGI
Official Full Name	sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3C provided by MGI
Primary source	MGI:MGI:107557
See related	Ensembl:ENSMUSG00000028780
Gene type	protein coding
RefSeq status	PROVISIONAL
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	1110036B02Rik, SemE, Semae
Expression	Broad expression in bladder adult (RPKM 26.3), lung adult (RPKM 25.9) and 17 other tissues See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 5 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Sema3c-201	ENSMUST00000030568.13	5491	751aa	Protein coding	CCDS19099	Q62181	TSL:1 GENCODE basic APPRIS P1
Sema3c-203	ENSMUST00000169603.1	785	226aa	Protein coding	-	E9Q0Z0	CDS 3' incomplete TSL:3
Sema3c-204	ENSMUST00000170181.7	1142	42aa	Nonsense mediated decay	-	E9PXL2	TSL:5
Sema3c-202	ENSMUST00000115271.2	4075	No protein	Retained intron	-	-	TSL:1
Sema3c-205	ENSMUST00000170348.1	1549	No protein	Retained intron	-	-	TSL:1

The strategy is based on the design of *Sema3c-201* transcript,the transcription is shown below:




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, mice homozygous for an ENU mutation exhibit perinatal lethality, hypopigmentation and abnormal heart development. Mice homozygous for a knock-out allele exhibit prenatal lethality associated with heart defects.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

