

Adra1d Cas9-KO Strategy

Designer:

Huan Wang

Design Date:

2019-7-22

Project Overview

Project Name

Adra1d

Project type


Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Adra1d* gene. The schematic diagram is as follows:



- The *Adrald* gene has 1 transcript. According to the structure of *Adrald* gene, exon1-exon2 of *Adrald-201* (ENSMUST00000103184.3) transcript is recommended as the knockout region. The region contains all of the coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Adrald* gene. The brief process is as follows: CRISPR/Cas9 system

- According to the existing MGI data, Mice homozygous for disruptions in this gene display hypotension or reduced rearing behavior in a novel environment, decreased wheel-running activity during the night, and reduced hyperlocomotion after amphetamine administration.
- The KO region contains functional region of the *Gm14285* gene. Knockout the region may affect the function of *Gm14285* gene.
- The *Adrald* gene is located on the Chr2. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Adra1d adrenergic receptor, alpha 1d [Mus musculus (house mouse)]

Gene ID: 11550, updated on 14-Feb-2019

Summary




Official Symbol	Adra1d provided by MGI
Official Full Name	adrenergic receptor, alpha 1d provided by MGI
Primary source	MGI:MGI:106673
See related	Ensembl:ENSMUSG00000027335
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	Adra-1, Adra1, Adra1a, Gpcr8, Spr8, [a]1d, alpha1D-AR
Expression	Biased expression in adrenal adult (RPKM 24.0), cortex adult (RPKM 9.4) and 10 other tissues See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 1 transcript, and the transcript is shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Adra1d-201	ENSMUST00000103184.3	1899	562aa	Protein coding	CCDS16764	A2ANQ2	TSL:1 GENCODE basic APPRIS P1


The strategy is based on the design of *Adra1d-201* transcript, The transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Mice homozygous for disruptions in this gene display hypotension or reduced rearing behavior in a novel environment, decreased wheel-running activity during the night, and reduced hyperlocomotion after amphetamine administration.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

