# Olfr520 Cas9-KO Strategy

**Designer:** Jinling Wang

**Design Date:** 2019-7-22

## **Project Overview**



**Project Name** 

Olfr520

**Project type** 

Cas9-KO


Strain background

C57BL/6JGpt

## **Knockout strategy**



This model will use CRISPR/Cas9 technology to edit the Olfr520 gene. The schematic diagram is as follows:



#### **Technical routes**



- The *Olfr520* gene has 2 transcripts. According to the structure of *Olfr520* gene, The predicted promoter and exon1-2 of *Olfr520*-202 (ENSMUST00000220185.1) transcript is recommended as the knockout region. The region contains all coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Olfr520* gene. The brief process is as follows: gRNA was transcribed in vitro.Cas9 and gRNA were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating Positive F0 generation mice with C57BL/6JGpt mice.

#### **Notice**




- ➤ The *Olfr520* gene is located on the Chr7. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- ➤ This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

## Gene information (NCBI)



#### Olfr520 olfactory receptor 520 [ Mus musculus (house mouse) ]

Gene ID: 259066, updated on 18-Sep-2018



△ ?

Official Symbol Olfr520 provided by MGI

Official Full Name olfactory receptor 520 provided by MGI

Primary source MGI:MGI:3030354

See related Ensembl: ENSMUSG00000073998 Vega: OTTMUSG00000059109

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as MOR101-1

Summary Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell.

The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other

organisms. [provided by RefSeq, Jul 2008]

Orthologs human all


## Transcript information (Ensembl)



The gene has 2 transcripts, and all transcripts are shown below:


Show/hide columns (1 hidden)									Filter	<b>X</b>
Name	Transcript ID 👙	bp 👙	Protein 🍦	Biotype	CCDS 🍦	UniProt 🌲	RefSeq		Flags	
Olfr520-202	ENSMUST00000220185.1	1330	316aa	Protein coding	CCDS21486₽	E9Q518@	2	TSL:5	GENCODE basic	APPRIS P1
Olfr520-201	ENSMUST00000098264.1	951	316aa	Protein coding	CCDS21486₽	E9Q518₽	NM_147063& NP_667274&	TSL:NA	GENCODE basic	APPRIS P1

The strategy is based on the design of Olfr520-202transcript, The transcription is shown below




#### Genomic location distribution





### Protein domain





If you have any questions, you are welcome to inquire. Tel: 400-9660890





