


Adgra1 Cas9-CKO Strategy

Designer: Design Date: Jinling Wang 2019-7-17

Project Overview






Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Adgra1* gene. The schematic diagram is as follows:



江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.



The Adgra1 gene has 3 transcripts. According to the structure of Adgra1 gene, exon4 of Adgra1-201 (ENSMUST00000026548.13) transcript is recommended as the knockout region. The region contains 128bp coding sequence. Knock out the region will result in disruption of protein function.

In this project we use CRISPR/Cas9 technology to modify *Adgra1* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.



- The Adgral gene is located on the Chr7. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



\$?

Adgra1 adhesion G protein-coupled receptor A1 [Mus musculus (house mouse)]

Gene ID: 52389, updated on 31-Jan-2019

Summary

Official Symbol	Adgra1 provided by MGI
Official Full Name	adhesion G protein-coupled receptor A1 provided by MGI
Primary source	MGI:MGI:1277167
See related	Ensembl:ENSMUSG0000025475
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;
	Muroidea; Muridae; Murinae; Mus; Mus
Also known as	2900059M17Rik, D7Ertd680e, Gpr123
Expression	Biased expression in cortex adult (RPKM 8.4), frontal lobe adult (RPKM 7.5) and 8 other tissuesSee more
Orthologs	human all

江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.


Transcript information (Ensembl)



The gene has 3 transcripts, all transcripts are shown below:


			F				de Reiner de La de
Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Adgra1-201	ENSMUST00000026548.13	4758	<u>578aa</u>	Protein coding	CCDS40171	<u>Q8C4G9</u>	TSL:1 GENCODE basic APPRIS P1
Adgra1-203	ENSMUST00000137584.1	416	No protein	Processed transcript	9 .	3 4 3	TSL:3
Adgra1-202	ENSMUST00000129454.1	1413	No protein	Retained intron	8 1	0.20	TSL:1

The strategy is based on the design of Adgra1-201 transcript, The transcription is shown below



Genomic location distribution






江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

Protein domain






江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).



If you have any questions, you are welcome to inquire. Tel: 400-9660890



