


Cnnm2 Cas9-CKO Strategy

Designer: Huan Wang Design Date: 2019-7-24

Project Overview





江苏集萃药康生物科技股份有限公司


GemPharmatech Co., Ltd.

Conditional Knockout strategy



400-9660890

This model will use CRISPR/Cas9 technology to edit the *Cnnm2* gene. The schematic diagram is as follows:



江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.



The Cnnm2 gene has 4 transcripts. According to the structure of Cnnm2 gene, exon1 of Cnnm2-202 (ENSMUST00000099373.11) transcript is recommended as the knockout region. The region contains start codon ATG. Knock out the region will result in disruption of protein function.

In this project we use CRISPR/Cas9 technology to modify *Cnnm2* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.



- The Cnnm2 gene is located on the Chr19. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



☆ ?

Cnnm2 cyclin M2 [Mus musculus (house mouse)]

Gene ID: 94219, updated on 31-Jan-2019

Summary

Official SymbolCnnm2 provided by MGIOfficial Full Namecyclin M2 provided by MGIPrimary SourceMGI:MGI:2151054Primary SourceInsembl:ENSMUSG0000064105Gene typeprotein codingØretin CodingVALIDATEDOrganismMus musculusLineageEukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Golires; Rodentia; Myomorpha;
Muroidea; Murinae; Mus; MusAlso knownaseAU15877, AW048635, Acdp2, Clp2BurgerssionUbiquitous expression in subcutaneous fat pad adult (RPKM 7.0), adrenal adult (RPKM 6.5) and 28 other tissues
See moreOrthologehuman all

江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.


400-9660890



The gene has 4 transcripts, all transcripts are shown below:


1 No.		1		I man I			
Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Cnnm2-202	ENSMUST0000099373.11	4955	<u>875aa</u>	Protein coding	CCDS50459	Q3TWN3	TSL:1 GENCODE basic APPRIS P4
Cnnm2-201	ENSMUST0000077666.5	3051	<u>853aa</u>	Protein coding	CCDS50460	Q3TWN3	TSL:1 GENCODE basic APPRIS ALT1
Cnnm2-204	ENSMUST00000235671.1	1296	No protein	Processed transcript	45	2	
Cnnm2-203	ENSMUST00000235378.1	1941	No protein	Retained intron	20	2	

The strategy is based on the design of *Cnnm2-202* transcript, The transcription is shown below



Genomic location distribution






江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890

Protein domain






江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890

Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).



If you have any questions, you are welcome to inquire. Tel: 400-9660890



