


# Cdc14a Cas9-CKO Strategy

Designer: Huan Wang Design Date: 2019-7-22

# **Project Overview**






## **Conditional Knockout strategy**



This model will use CRISPR/Cas9 technology to edit the Cdc14a gene. The schematic diagram is as follows:



#### 江苏集萃药康生物科技股份有限公司

#### GemPharmatech Co., Ltd.

#### 400-9660890



The Cdc14a gene has 7 transcripts. According to the structure of Cdc14a gene, exon3 of Cdc14a-201 (ENSMUST0000090464.6) transcript is recommended as the knockout region. The region contains 76bp coding sequence. Knock out the region will result in disruption of protein function.

In this project we use CRISPR/Cas9 technology to modify Cdc14a gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

> The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.



- The Cdc14a gene is located on the Chr3. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

# **Gene information (NCBI)**



\$ ?

#### Cdc14a CDC14 cell division cycle 14A [Mus musculus (house mouse)]

Gene ID: 229776, updated on 19-Mar-2019

#### Summary

Official Symbol	Cdc14a provided by MGI
Official Full Name	CDC14 cell division cycle 14A provided byMGI
<b>Primary source</b>	MGI:MGI:2442676
See related	Ensembl:ENSMUSG00000033502
Gene type	protein coding
<b>RefSeq status</b>	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;
	Muroidea; Muridae; Murinae; Mus; Mus
Also known as	A830059A17Rik, CDC14A2, CDC14a1, Cdc14
Expression	Broad expression in testis adult (RPKM 22.3), CNS E11.5 (RPKM 3.0) and 15 other tissues See more
Orthologs	human all

江苏集萃药康生物科技股份有限公司

#### GemPharmatech Co., Ltd.

400-9660890

# **Transcript information (Ensembl)**



The gene has 7 transcripts, all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags		
Cdc14a-201	ENSMUST0000090464.6	4485	<u>603aa</u>	Protein coding	CCDS38611	Q6GQT0	TSL:1 GENCODE basic APPRIS P1		
Cdc14a-202	ENSMUST00000106491.6	4292	<u>554aa</u>	Protein coding	CCDS51058	Q6GQT0	TSL:1 GENCODE basic		
Cdc14a-206	ENSMUST00000197830.4	716	<u>36aa</u>	Nonsense mediated decay	2	A0A0G2JDS3	3 CDS 5' incomplete TSL:5		
Cdc14a-204	ENSMUST00000136994.1	863	No protein	Processed transcript	-	100	TSL:3		
Cdc14a-205	ENSMUST00000148857.7	4577	No protein	Retained intron	5	1751	TSL:1		
Cdc14a-203	ENSMUST00000127704.7	3825	No protein	otein Retained intron		TSL:2			
Cdc14a-207	ENSMUST00000199454.1	2102	No protein	Retained intron	2	1200	TSL:NA		

The strategy is based on the design of Cdc14a-201 transcript, The transcription is shown below


#### < Cdc14a-201 protein coding

Reverse strand -

- 151.48 kb -

### **Genomic location distribution**





江苏集萃药康生物科技股份有限公司

#### GemPharmatech Co., Ltd.

400-9660890

# **Protein domain**


江苏



Scale bar	0 6	0 1	20	180	240	300	360	420	480	540	603
Variant Legend	missen:	deletion se variant nous varian									
All sequence SNPs/i	Sequence va	riants (dbSI	NP and all	other so	urces)	N Đ	П		Ш Т		6
Gene3D	Protein-tyros										
PROSITE patterns					1.	Merson March Colema		sphatases domai ase, active site	n		
PROSITE profiles	Dual specificity phosphatase, catalytic domain Dual specificity protein phosphatase domain										
Pfam domain	Dual specifi	city/tyrosine (	protein pho		, N-terminal						
				Dual	specificity pro						
Superfamily domains SMART domains	Protein-tyros	ine phosphata	ase-like		Distainati	rosine phosp	hatana nati	alutic			
	Dual specificit	/ protein pho:	sphatase C	DC14A		2/1			-		
Low complexity (Seg) hmmpanther	PTHR23339										<b>°</b> S
MobiDB lite											0

# Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).



If you have any questions, you are welcome to inquire. Tel: 400-9660890



