

Atrip Cas9-CKO Strategy

Designer: Jinling Wang

Reviewer: Fengjuan Wang

Design Date: 2018/10/17

Project Overview



Project Name Atrip


Project type Cas9-CKO

Strain background C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Atrip* gene. The schematic diagram is as follows:



Technical routes



- The *Atrip* gene has 9 transcripts. According to the structure of *Atrip* gene, exon2-exon4 of *Atrip-*201(ENSMUST00000045011.8) transcript is recommended as the knockout region. The region contains 421bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Atrip* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- > The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- The KO region contains functional region of the Atrip gene. Knockout the region may affect the function of Atrip-trex1 gene.
- The *Atrip* gene is located on the Chr9. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Atrip ATR interacting protein [Mus musculus (house mouse)]

Gene ID: 235610, updated on 26-Mar-2020

Summary

☆ ?

Official Symbol Atrip provided by MGI

Official Full Name ATR interacting protein provided by MGI

Primary source MGI:MGI:1925349

See related Ensembl:ENSMUSG00000025646

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 6620401K05Rik

Expression Ubiquitous expression in ovary adult (RPKM 11.5), thymus adult (RPKM 7.8) and 28 other tissuesSee more

Orthologs <u>human all</u>


Transcript information (Ensembl)



The gene has 9 transcripts, all transcripts are shown below:


Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
ENSMUST00000045011.8	2572	785aa	Protein coding	CCDS23545	Q8BMG1	TSL:1 GENCODE basic APPRIS P2
ENSMUST00000161521.7	2381	<u>758aa</u>	Protein coding		E9Q6L5	TSL:5 GENCODE basic APPRIS ALT2
ENSMUST00000128062.2	626	<u>47aa</u>	Protein coding	-	D3YUE0	CDS 5' incomplete TSL:3
ENSMUST00000159614.2	541	<u>180aa</u>	Protein coding	-	F6U6D4	CDS 5' and 3' incomplete TSL:3 APPRIS ALT2
ENSMUST00000160217.7	4248	<u>585aa</u>	Nonsense mediated decay	-	16L9G2	TSL:2
ENSMUST00000160928.4	4215	No protein	Retained intron	5	-	TSL:2
ENSMUST00000194199.1	2321	No protein	Retained intron		(-)	TSL:NA
ENSMUST00000161163.2	1280	No protein	Retained intron	28	123	TSL:2
ENSMUST00000161270.1	687	No protein	Retained intron	-	1.5	TSL:3
	ENSMUST00000161521.7 ENSMUST00000128062.2 ENSMUST00000159614.2 ENSMUST00000160217.7 ENSMUST00000160928.4 ENSMUST00000194199.1 ENSMUST00000161163.2	ENSMUST00000161521.7 2381 ENSMUST00000161521.7 2381 ENSMUST00000128062.2 626 ENSMUST00000159614.2 541 ENSMUST00000160217.7 4248 ENSMUST00000160928.4 4215 ENSMUST00000194199.1 2321 ENSMUST00000161163.2 1280	ENSMUST00000161521.7 2381 758aa ENSMUST00000128062.2 626 47aa ENSMUST00000159614.2 541 180aa ENSMUST00000160217.7 4248 585aa ENSMUST00000160928.4 4215 No protein ENSMUST00000194199.1 2321 No protein ENSMUST00000161163.2 1280 No protein	ENSMUST00000045011.8 2572 785aa Protein coding ENSMUST00000161521.7 2381 758aa Protein coding ENSMUST00000128062.2 626 47aa Protein coding ENSMUST00000159614.2 541 180aa Protein coding ENSMUST00000160217.7 4248 585aa Nonsense mediated decay ENSMUST00000160928.4 4215 No protein Retained intron ENSMUST00000194199.1 2321 No protein Retained intron ENSMUST00000161163.2 1280 No protein Retained intron	ENSMUST00000045011.8 2572 785aa Protein coding CCDS23545 ENSMUST00000161521.7 2381 758aa Protein coding - ENSMUST00000128062.2 626 47aa Protein coding - ENSMUST00000159614.2 541 180aa Protein coding - ENSMUST00000160217.7 4248 585aa Nonsense mediated decay - ENSMUST00000160928.4 4215 No protein Retained intron - ENSMUST00000194199.1 2321 No protein Retained intron - ENSMUST00000161163.2 1280 No protein Retained intron -	ENSMUST00000045011.8 2572 785aa Protein coding CCDS23545 Q8BMG1 ENSMUST00000161521.7 2381 758aa Protein coding - E9Q6L5 ENSMUST00000128062.2 626 47aa Protein coding - D3YUE0 ENSMUST00000159614.2 541 180aa Protein coding - F6U6D4 ENSMUST00000160217.7 4248 585aa Nonsense mediated decay - 16L9G2 ENSMUST00000160928.4 4215 No protein Retained intron - - ENSMUST00000194199.1 2321 No protein Retained intron - - ENSMUST00000161163.2 1280 No protein Retained intron - -

The strategy is based on the design of *Atrip-201* transcript, the transcription is shown below:




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).



If you have any questions, you are welcome to inquire. Tel: 400-9660890





