

Cul5 Cas9-CKO Strategy

Designer: Huan Fan

Reviewer: Wenjing Li

Design Date: 2018/10/31

Project Overview



Project Name

Cul5

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Cul5* gene. The schematic diagram is as follows:



Technical routes



- The *Cul5* gene has 9 transcripts. According to the structure of *Cul5* gene, exon2 of *Cul5-201*(ENSMUST00000034529.13) transcript is recommended as the knockout region. The region contains 110bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Cul5* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- > The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- > According to the existing MGI data,mice homozygous for a null allele exhibit complete embryonic lethality. Mice heterozygous for a null allele exhibit decreased susceptibility to LPS-induced lung injury.
- > The *Cul5* gene is located on the Chr9. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Cul5 cullin 5 [Mus musculus (house mouse)]

Gene ID: 75717, updated on 31-Jan-2019

Summary

☆ ?

Official Symbol Cul5 provided by MGI

Official Full Name cullin 5 provided byMGI

Primary source MGI:MGI:1922967

See related Ensembl: ENSMUSG00000032030

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 4921514l20Rik, 8430423K24Rik, Al852817, C030032G03Rik, C330021l08Rik, VACM-1, VACM1

Expression Ubiquitous expression in CNS E11.5 (RPKM 7.1), CNS E18 (RPKM 5.9) and 28 other tissues See more

Orthologs <u>human all</u>


Transcript information (Ensembl)



The gene has 9 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Cul5-209	ENSMUST00000166367.7	5942	828aa	Protein coding	CCDS52798	E9PV12	TSL:5 GENCODE basic
Cul5-201	ENSMUST00000034529.13	3585	<u>855aa</u>	Protein coding	CCDS40638	G3X914	TSL:1 GENCODE basic APPRIS P1
Cul5-202	ENSMUST00000120122.7	5945	<u>651aa</u>	Protein coding	¥	E9Q6Z0	TSL:5 GENCODE basic
Cul5-204	ENSMUST00000133872.1	392	<u>59aa</u>	Nonsense mediated decay	2	F8VQI6	CDS 5' incomplete TSL:5
Cul5-205	ENSMUST00000137922.1	458	No protein	Processed transcript	8	- 5i	TSL:2
Cul5-206	ENSMUST00000141180.7	2400	No protein	Retained intron	5	. *	TSL:5
Cul5-207	ENSMUST00000141803.1	1712	No protein	Retained intron	¥	20	TSL:1
Cul5-203	ENSMUST00000123499.7	1589	No protein	Retained intron	2	29	TSL:5
Cul5-208	ENSMUST00000146405.1	559	No protein	Retained intron	ā	. 5	TSL:2
		77			7		

The strategy is based on the design of *Cul5-201* transcript, the transcription is shown below:




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data,mice homozygous for a null allele exhibit complete embryonic lethality. Mice heterozygous for a null allele exhibit decreased susceptibility to LPS-induced lung injury.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





