

Cdc14b Cas9-KO Strategy

Designer:

Huan Wang

Design Date:

2019-7-22

Project Overview

Project Name

Cdc14b

Project type


Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Cdc14b* gene. The schematic diagram is as follows:



- The *Cdc14b* gene has 11 transcripts. According to the structure of *Cdc14b* gene, exon5 of *Cdc14b-201* (ENSMUST00000039318.15) transcript is recommended as the knockout region. The region contains 77bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Cdc14b* gene. The brief process is as follows: CRISPR/Cas9 system

- According to the existing MGI data, Mice homozygous for a knock-out allele exhibit premature aging, including premature cataracts and kyphosis; reduced fertility, particularly in female mice; and impaired contextual conditioning.
- The *Cdc14b* gene is located on the Chr13. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Cdc14b CDC14 cell division cycle 14B [Mus musculus (house mouse)]

Gene ID: 218294, updated on 31-Jan-2019

Summary




Official Symbol	Cdc14b provided by MGI
Official Full Name	CDC14 cell division cycle 14B provided by MGI
Primary source	MGI:MGI:2441808
See related	Ensembl:ENSMUSG00000033102
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	2810432N10Rik, A530086E13Rik, AA472821, CDC14B3, Cdc14B1
Expression	Ubiquitous expression in testis adult (RPKM 6.1), placenta adult (RPKM 2.9) and 28 other tissues See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 11 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Cdc14b-201	ENSMUST00000039318.15	5859	485aa	Protein coding	CCDS26598	Q6PFY9	TSL:1 GENCODE basic APPRIS P3
Cdc14b-203	ENSMUST000000109770.1	3052	485aa	Protein coding	CCDS26598	Q6PFY9	TSL:1 GENCODE basic APPRIS P3
Cdc14b-202	ENSMUST000000109769.9	2886	448aa	Protein coding	CCDS49292	Q6PFY9	TSL:1 GENCODE basic APPRIS ALT2
Cdc14b-207	ENSMUST000000221634.1	1953	492aa	Protein coding	-	A0A1Y7VJB9	TSL:1 GENCODE basic
Cdc14b-209	ENSMUST000000222713.1	790	153aa	Protein coding	-	A0A1Y7VJ26	CDS 5' incomplete TSL:3
Cdc14b-210	ENSMUST000000222766.1	474	124aa	Protein coding	-	A0A1Y7VKG2	CDS 5' incomplete TSL:3
Cdc14b-204	ENSMUST000000221139.1	3075	485aa	Nonsense mediated decay	-	Q6PFY9	TSL:1
Cdc14b-205	ENSMUST000000221217.1	628	63aa	Nonsense mediated decay	-	A0A1Y7VK12	CDS 5' incomplete TSL:3
Cdc14b-211	ENSMUST000000223116.1	752	No protein	Processed transcript	-	-	TSL:5
Cdc14b-206	ENSMUST000000221437.1	2841	No protein	Retained intron	-	-	TSL:1
Cdc14b-208	ENSMUST000000221788.1	2565	No protein	Retained intron	-	-	TSL:NA


The strategy is based on the design of *Cdc14b-201* transcript,The transcription is shown below



Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Mice homozygous for a knock-out allele exhibit premature aging, including premature cataracts and kyphosis; reduced fertility, particularly in female mice; and impaired contextual conditioning.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

