

# Postn Cas9-KO Strategy

**Designer:** Yupeng Yang

**Design Date:** 2019-7-23

# **Project Overview**



Project Name Postn


Project type Cas9-KO

Strain background C57BL/6JGpt

# **Knockout strategy**



This model will use CRISPR/Cas9 technology to edit the *Postn* gene. The schematic diagram is as follows:



### **Technical routes**



The *Postn* gene has 9 transcripts. According to the structure of *Postn* gene, exon3 of *Postn-203* 

(ENSMUST00000107985.9) transcript is recommended as the knockout region. The region contains 65bp coding sequence.

Knock out the region will result in disruption of protein function.

In this project we use CRISPR/Cas9 technology to modify *Postn* gene. The brief process is as follows: CRISPR/Cas9 system

### **Notice**



According to the existing MGI data, Homozygous null mice display abnormalities of the enamel, periodontal ligament, ameloblasts, and incisors. For one allele changing the hardness of the food alters the severity of the abnormalities.

The *Postn* gene is located on the Chr3. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.

This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

## Gene information NCBI



#### Postn periostin, osteoblast specific factor [Mus musculus (house mouse)]

Gene ID: 50706, updated on 16-Feb-2019

#### Summary



Official Symbol Postn provided by MGI

Official Full Name periostin, osteoblast specific factor provided by MGI

Primary source MGI:MGI:1926321

See related Ensembl:ENSMUSG00000027750

Gene type protein coding
RefSeq status REVIEWED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as A630052E07Rik, AI747096, OSF-2, Osf2, PLF, PN

Summary This gene encodes a secreted extracellular matrix protein that functions in tissue development and regeneration, including wound healing

and ventricular remodeling following myocardial infarction. The encoded protein binds to integrins to support adhesion and migration of epithelial cells. This protein plays a role in cancer stem cell maintenance and metastasis. Mice lacking this gene exhibit cardiac valve disease, and skeletal and dental defects. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by

RefSeq, Sep 2015]

Expression Biased expression in limb E14.5 (RPKM 151.8), placenta adult (RPKM 112.7) and 12 other tissuesSee more

Orthologs <u>human all</u>


# Transcript information Ensembl



The gene has 9 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Postn-203	ENSMUST00000107985.9	3205	810aa	Protein coding	CCDS57211	Q62009	TSL:1 GENCODE basic APPRIS ALT2
Postn-201	ENSMUST00000073012.12	3189	<u>811aa</u>	Protein coding	CCDS17351	Q62009	TSL:1 GENCODE basic APPRIS P3
Postn-204	ENSMUST00000117373.7	3121	<u>783aa</u>	Protein coding	CCDS57212	Q62009	TSL:1 GENCODE basic APPRIS ALT2
Postn-202	ENSMUST00000081564.12	2670	<u>838aa</u>	Protein coding	1/2	Q62009	TSL:5 GENCODE basic APPRIS ALT2
Postn-206	ENSMUST00000143258.1	655	<u>102aa</u>	Protein coding	-	F7C9H0	CDS 5' incomplete TSL:2
Postn-207	ENSMUST00000145036.2	5223	No protein	Retained intron	-	6.50	TSL:1
Postn-205	ENSMUST00000127452.1	900	No protein	Retained intron	-	340	TSL:2
Postn-209	ENSMUST00000154157.7	891	No protein	Retained intron	22	323	TSL:3
Postn-208	ENSMUST00000150868.1	624	No protein	Retained intron	-	150	TSL:2

The strategy is based on the design of *Postn-203* transcript, The transcription is shown below




### Genomic location distribution






### Protein domain





# Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Homozygous null mice display abnormalities of the enamel, periodontal ligament, ameloblasts, and incisors. For one allele changing the hardness of the food alters the severity of the abnormalities.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





