

Smndc1 Cas9-KO Strategy

Designer: Jinling Wang

Design Date: 2019-8-8

Project Overview



Project Name

Smndc1

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Smndc1* gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Smndc1* gene has 5 transcripts. According to the structure of *Smndc1* gene, exon3-exon4 of *Smndc1-201* (ENSMUST00000025997.6) transcript is recommended as the knockout region. The region contains 305bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Smndc1* gene. The brief process is as follows: CRISPR/Cas9 syste

Notice



- > The *Smndc1* gene is located on the Chr19. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- > This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Smndc1 survival motor neuron domain containing 1 [Mus musculus (house mouse)]

Gene ID: 76479, updated on 31-Jan-2019

Summary

↑ ?

Official Symbol Smndc1 provided by MGI

Official Full Name survival motor neuron domain containing 1 provided by MGI

Primary source MGI:MGI:1923729

See related Ensembl: ENSMUSG00000025024

Gene type protein coding
RefSeq status VALIDATED

Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Expression Ubiquitous expression in placenta adult (RPKM 8.0), CNS E11.5 (RPKM 7.7) and 27 other tissues See more

Orthologs <u>human</u> all


Transcript information (Ensembl)



The gene has 5 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Smndc1-201	ENSMUST00000025997.6	1948	238aa	Protein coding	CCDS29902	Q8BGT7	TSL:1 GENCODE basic APPRIS P1
Smndc1-205	ENSMUST00000237529.1	1480	238aa	Protein coding	CCDS29902	. * .	GENCODE basic APPRIS P1
Smndc1-203	ENSMUST00000236245.1	393	83aa	Protein coding	ų.	-	CDS 3' incomplete
Smndc1-202	ENSMUST00000235830.1	1992	<u>145aa</u>	Nonsense mediated decay		20	
Smndc1-204	ENSMUST00000236962.1	1478	102aa	Nonsense mediated decay	8	-	

The strategy is based on the design of Smndc1-201 transcript, The transcription is shown below




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire. Tel: 400-9660890





