

Zfp335 Cas9-KO Strategy

Designer:

Huan Fan

Design Date:

2019-8-4

Project Overview



Project Name

Zfp335

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Zfp335 gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Zfp335* gene has 3 transcripts. According to the structure of *Zfp335* gene, exon3-exon6 of *Zfp335-201* (ENSMUST00000041361.13) transcript is recommended as the knockout region. The region contains 769bp coding sequence Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify Zfp335 gene. The brief process is as follows: CRISPR/Cas9 system

Notice



- ➤ According to the existing MGI data, Mice homozygous for a transgenic gene disruption exhibit embryonic lethality before implantation. Mice homozygous for a conditional allele activated in the brain exhibit loss of cortical neurons and decreased brain size.
- > The *Zfp335* gene is located on the Chr2. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Zfp335 zinc finger protein 335 [Mus musculus (house mouse)]

Gene ID: 329559, updated on 31-Jan-2019

Summary

☆ ?

Official Symbol Zfp335 provided by MGI

Official Full Name zinc finger protein 335 provided by MGI

Primary source MGI:MGI:2682313

See related Ensembl: ENSMUSG00000039834

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 1810045J01Rik, NIF-1, Nif1, Znf335

Expression Ubiquitous expression in thymus adult (RPKM 31.4), spleen adult (RPKM 20.3) and 28 other tissuesSee more

Orthologs <u>human</u> all


Transcript information (Ensembl)



The gene has 3 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Zfp335-201	ENSMUST00000041361.13	4587	<u>1337aa</u>	Protein coding	CCDS38331	A2A5K6	TSL:1 GENCODE basic APPRIS P1
Zfp335-203	ENSMUST00000183830.7	4510	<u>598aa</u>	Nonsense mediated decay	-	Q6P5F4	TSL:1
Zfp335-202	ENSMUST00000139247.1	680	91aa	Nonsense mediated decay	-	S4R2J0	CDS 5' incomplete TSL:3

The strategy is based on the design of Zfp335-201 transcript, The transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Mice homozygous for a transgenic gene disruption exhibit embryonic lethality before implantation. Mice homozygous for a conditional allele activated in the brain exhibit loss of cortical neurons and decreased brain size.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





