

Strap Cas9-KO Strategy

Designer:Shilei Zhu

Project Overview




Project Name	Strap
Project type	Cas9-KO
Strain background	C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Strap* gene. The schematic diagram is as follows:



Technical routes



The *Strap* gene has 3 transcripts. According to the structure of *Strap* gene, exon3-exon4 of *Strap-201* (ENSMUST00000064910.6) transcript is recommended as the knockout region. The region contains 155bp coding sequence.

Knock out the region will result in disruption of protein function.

In this project we use CRISPR/Cas9 technology to modify *Strap* gene. The brief process is as follows: CRISPR/Cas9 system

Notice



According to the existing MGI data, Mice homozygous for a gene trapped allele die between E10.5 and E12.5 displaying defects in angiogenesis, cardiogenesis, somitogenesis, neural tube closure and embryonic turning.

The *Strap* gene is located on the Chr6. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.

This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information NCBI



Strap serine/threonine kinase receptor associated protein [Mus musculus (house mouse)]

Gene ID: 20901, updated on 10-Feb-2019

Summary

☆ ?

Official Symbol Strap provided by MGI

Official Full Name serine/threonine kinase receptor associated protein provided by MGI

Primary source MGI:MGI:1329037

See related Ensembl:ENSMUSG00000030224

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as AW557906, C78091, C79202, Unrip

Expression Ubiquitous expression in adrenal adult (RPKM 42.9), testis adult (RPKM 34.7) and 28 other tissuesSee more

Orthologs <u>human all</u>


Transcript information Ensembl



The gene has 3 transcripts, all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	ccds	UniProt	Flags
Strap-201	ENSMUST00000064910.6	2650	350aa	Protein coding	CCDS51945	B2RUC7 Q9Z1Z2	TSL:1 GENCODE basic APPRIS P1
Strap-203	ENSMUST00000154698.1	505	No protein	Processed transcript	-	(#X	TSL:3
Strap-202	ENSMUST00000137235.1	331	No protein	Retained intron	-	(44)	TSL:2

The strategy is based on the design of *Strap-201* transcript, The transcription is shown below




Genomic location distribution




Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Mice homozygous for a gene trapped allele die between E10.5 and E12.5 displaying defects in angiogenesis, cardiogenesis, somitogenesis, neural tube closure and embryonic turning.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





