

# ***Btbd10* Cas9-KO Strategy**

**Designer: Jinling Wang**

**Reviewer: Wenjing Li**

**Design Date: 2018/12/10**

# Project Overview

**Project Name**

***Btbd10***

**Project type**


**Cas9-KO**

**Strain background**

**C57BL/6JGpt**

# Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Btbd10* gene. The schematic diagram is as follows:



- The *Btbd10* gene has 6 transcripts. According to the structure of *Btbd10* gene, exon5 of *Btbd10*-201(ENSMUST00000047091.13) transcript is recommended as the knockout region. The region contains 197bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Btbd10* gene. The brief process is as follows: CRISPR/Cas9 system were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

- The *Btbd10* gene is located on the Chr7. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.



# Gene information (NCBI)

Btbd10 BTB (POZ) domain containing 10 [Mus musculus (house mouse)]

Gene ID: 68815, updated on 13-Mar-2020

## Summary



Official Symbol Btbd10 provided by [MGI](#)

Official Full Name BTB (POZ) domain containing 10 provided by [MGI](#)

Primary source [MGI:MGI:1916065](#)

See related [Ensembl:ENSMUSG00000038187](#)

Gene type protein coding

RefSeq status PROVISIONAL

Organism [Mus musculus](#)

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 1110056N09Rik, Gmrp1

Expression Broad expression in testis adult (RPKM 11.6), CNS E18 (RPKM 7.1) and 26 other tissues [See more](#)


Orthologs [human](#) [all](#)

# Transcript information (Ensembl)


The gene has 6 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Btbd10-201	<a href="#">ENSMUST00000047091.13</a>	2581	<a href="#">475aa</a>	Protein coding	<a href="#">CCDS21755</a>	<a href="#">Q80X66</a>	TSL:1 GENCODE basic APPRIS P2
Btbd10-203	<a href="#">ENSMUST00000119278.7</a>	2394	<a href="#">427aa</a>	Protein coding	-	<a href="#">E9Q6L8</a>	TSL:5 GENCODE basic
Btbd10-202	<a href="#">ENSMUST00000117577.7</a>	2384	<a href="#">483aa</a>	Protein coding	-	<a href="#">E9Q6Y9</a>	TSL:5 GENCODE basic APPRIS ALT1
Btbd10-205	<a href="#">ENSMUST00000135510.1</a>	2179	<a href="#">202aa</a>	Nonsense mediated decay	-	<a href="#">D6RDQ7</a>	TSL:5
Btbd10-206	<a href="#">ENSMUST00000139650.1</a>	2882	No protein	Retained intron	-	-	TSL:1
Btbd10-204	<a href="#">ENSMUST00000129567.1</a>	480	No protein	Retained intron	-	-	TSL:2

The strategy is based on the design of *Btbd10-201* transcript,the transcription is shown below:




# Genomic location distribution





# Protein domain



If you have any questions, you are welcome to inquire.

Tel: 400-9660890

