

Prdx6 Cas9-CKO Strategy

Designer: Huan Wang

Reviewer: Huan Fan

Design Date: 2020-5-12

Project Overview



Project Name

Prdx6

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Prdx6* gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Prdx6* gene has 9 transcripts. According to the structure of *Prdx6* gene, exon2-exon4 of *Prdx6-202*(ENSMUST00000071718.11) transcript is recommended as the knockout region. The region contains 451bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Prdx6* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- ➤ According to the existing MGI data, mice homozygous for disruptions of this gene show no macroscopic or microscopic abnormalities. however, they have an increased susceptibility to oxidative stress.
- The *Prdx6* gene is located on the Chr1. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- ➤ This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Prdx6 peroxiredoxin 6 [Mus musculus (house mouse)]

Gene ID: 11758, updated on 13-Mar-2020

Summary

↑ ?

Official Symbol Prdx6 provided by MGI

Official Full Name peroxiredoxin 6 provided by MGI

Primary source MGI:MGI:894320

See related Ensembl: ENSMUSG00000026701

Gene type protein coding
RefSeq status REVIEWED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 1-Cys Prx, 1-cysPrx, 9430088D19Rik, AA690119, Aop2, Brp-12, CP-3, GPx, Ltw-4, Ltw-4, Ltw-4, NSGPx, ORF06, Prdx5, aiPLA2

Summary This gene encodes a member of the peroxiredoxin family of peroxidases. The encoded protein is a bifunctional enzyme that has glutathione

peroxidase and phospholipase activities. This protein is an antioxidant that reduces peroxidized membrane phospholipids and plays an important role in phospholipid homeostasis based on its ability to generate lysophospholipid substrate for the remodeling pathway of phospholipid synthesis. Mice lacking this gene are sensitive to oxidant stress, have altered lung phospholipid metabolism and susceptible to skin tumorigenesis. Alternate splicing of this gene results in multiple transcript variants. A pseudogene of this gene is found on chromosome 4.

[provided by RefSeq, Dec 2014]

Expression Ubiquitous expression in colon adult (RPKM 178.6), lung adult (RPKM 85.0) and 27 other tissuesSee more

Orthologs human all


Transcript information (Ensembl)



The gene has 9 transcripts, all transcripts are shown below:


					(
Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Prdx6-202	ENSMUST00000071718.11	2387	224aa	Protein coding	CCDS15415	Q6GT24	TSL:1 GENCODE basic APPRIS P1
Prdx6-201	ENSMUST00000051925.4	959	200aa	Protein coding	CCDS78724	D3Z0Y2	TSL:2 GENCODE basic
Prdx6-208	ENSMUST00000192639.5	1294	76aa	Nonsense mediated decay		A0A0A6YXQ7	TSL:1
Prdx6-207	ENSMUST00000156678.7	913	No protein	Processed transcript	1028	<u> </u>	TSL:2
Prdx6-206	ENSMUST00000156318.7	874	No protein	Processed transcript	-	5.	TSL:3
Prdx6-205	ENSMUST00000155135.1	825	No protein	Processed transcript	18	-	TSL:5
Prdx6-204	ENSMUST00000139387.7	603	No protein	Processed transcript	12	-	TSL:3
Prdx6-209	ENSMUST00000194613.1	2558	No protein	Retained intron	1028	₩	TSL:NA
Prdx6-203	ENSMUST00000130867.1	967	No protein	Retained intron	1.70 1.70		TSL:2
	* / * /	11			1. 1. 100	A. Yuka	7 7 3

The strategy is based on the design of *Prdx6-202* transcript, the transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data,mice homozygous for disruptions of this gene show no macroscopic or microscopic abnormalities. However, they have an increased susceptibility to oxidative stress.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





