



Pla2g12b Cas9-KO Strategy

Designer:

Huan Wang

Reviewer:

Huan Fan

Design Date:

2020-4-22

Project Overview


Project Name***Pla2g12b***

Project type**Cas9-KO**

Strain background**C57BL/6JGpt**

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Pla2g12b* gene. The schematic diagram is as follows:



Technical routes

- The *Pla2g12b* gene has 2 transcripts. According to the structure of *Pla2g12b* gene, exon1-exon3 of *Pla2g12b-201* (ENSMUST00000009790.13) transcript is recommended as the knockout region. The region contains start codon ATG. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Pla2g12b* gene. The brief process is as follows: CRISPR/Cas9 sys



集萃药康
GemPharmatech

Notice

- According to the existing MGI data, mice homozygous for an enu-induced mutation exhibit a reduction in serum total and hdl cholesterol levels, decreased serum triglyceride levels, and hepatic steatosis.
- The *Pla2g12b* gene is located on the Chr10. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.



集萃药康
GemPharmatech

Gene information (NCBI)

Pla2g12b phospholipase A2, group XIIIB [Mus musculus (house mouse)]

Gene ID: 69836, updated on 13-Mar-2020

Summary



Official Symbol Pla2g12b provided by [MGI](#)

Official Full Name phospholipase A2, group XIIIB provided by [MGI](#)

Primary source [MGI:MGI:1917086](#)

See related [Ensembl:ENSMUSG00000009646](#)

Gene type protein coding

RefSeq status VALIDATED

Organism [Mus musculus](#)

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 2010002E04Rik, Fksg71, Pla2g13, hlb218

Expression Biased expression in placenta adult (RPKM 23.7), large intestine adult (RPKM 22.3) and 7 other tissues [See more](#)


Orthologs [human](#) [all](#)

Transcript information (Ensembl)


The gene has 2 transcripts, all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Pla2g12b-201	ENSMUST00000009790.13	1091	195aa	Protein coding	CCDS23864	Q8VC81	TSL:1 GENCODE basic APPRIS is a system to annotate alternatively spliced transcripts based on a range of computational methods to identify the most functionally important transcript(s) of a gene. APPRIS P1
Pla2g12b-202	ENSMUST00000162643.1	804	101aa	Protein coding	-	F6UTM6	CDS 5' incomplete TSL:2


The strategy is based on the design of *Pla2g12b-201* transcript, the transcription is shown below:




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, mice homozygous for an ENU-induced mutation exhibit a reduction in serum total and HDL cholesterol levels, decreased serum triglyceride levels, and hepatic steatosis.



If you have any questions, you are welcome to inquire.

Tel: 400-9660890



集萃药康生物科技
GemPharmatech Co.,Ltd

