

Eno1 Cas9-CKO Strategy

Designer: Jinling Wang

Design Date: 2019-7-19

Project Overview



Project Name Eno1


Project type Cas9-CKO

Strain background C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Eno1* gene. The schematic diagram is as follows:



Technical routes



The *Eno1* gene has 11 transcripts. According to the structure of *Eno1* gene, exon2-exon12 of *Eno1-202* (ENSMUST00000080926.12) transcript is recommended as the knockout region. The region contains all of the coding sequence. Knock out the region will result in disruption of protein function.

In this project we use CRISPR/Cas9 technology to modify *Eno1* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



According to the existing MGI data, Homozygous animals exhibit growth arrest and embryonic lethality at approximately E6.5.

The *Eno1* gene is located on the Chr4. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.

This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information NCBI



Eno1 enolase 1, alpha non-neuron [Mus musculus (house mouse)]

Gene ID: 13806, updated on 7-Apr-2019

Summary

☆ ?

Official Symbol Eno1 provided by MGI

Official Full Name enclase 1, alpha non-neuron provided by MGI

Primary source MGI:MGI:95393

See related Ensembl:ENSMUSG00000063524

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 0610008I15, AL022784, Eno-1, MBP-1

Expression Ubiquitous expression in kidney adult (RPKM 310.6), subcutaneous fat pad adult (RPKM 285.5) and 28 other tissues See more

Orthologs <u>human</u> all


Transcript information Ensembl



The gene has 11 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Eno1-202	ENSMUST00000080926.12	2027	<u>434aa</u>	Protein coding	CCDS18971	P17182 Q5FW97	TSL:1 GENCODE basic APPRIS P1
Eno1-201	ENSMUST00000080149.5	1902	366aa	Protein coding	19-3	Q6PHC1	TSL:1 GENCODE basic
Eno1-205	ENSMUST00000133839.7	773	<u>221aa</u>	Protein coding	(2)	B0QZL1	CDS 3' incomplete TSL:3
Eno1-210	ENSMUST00000150175.7	519	<u>119aa</u>	Protein coding	728	B1ARR7	CDS 3' incomplete TSL:2
Eno1-208	ENSMUST00000141931.1	345	<u>67aa</u>	Protein coding		B1ARR6	CDS 3' incomplete TSL:5
Eno1-203	ENSMUST00000130632.7	1878	No protein	Retained intron	14.	-	TSL:1
Eno1-206	ENSMUST00000135063.1	686	No protein	Retained intron	(2)	-	TSL:2
Eno1-207	ENSMUST00000136310.1	578	No protein	Retained intron	728	2	TSL:1
Eno1-209	ENSMUST00000148605.1	562	No protein	Retained intron	-	-	TSL:1
Eno1-211	ENSMUST00000151057.1	529	No protein	Retained intron	-	-	TSL:1
Eno1-204	ENSMUST00000133789.1	478	No protein	Retained intron	828	-	TSL:1

The strategy is based on the design of *Eno1-202* transcript, The transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Homozygous animals exhibit growth arrest and embryonic lethality at approximately E6.5.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





