

Slc1a4 Cas9-CKO Strategy

Designer: Yanhua Shen

Reviewer: Jia Yu

Design Date: 2021-09-28

Project Overview




Project Name	Slc1a4			
Project type	Cas9-CKO			
Strain background	C57BL/6JGpt			

GemPharmatech Co., Ltd.

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Slc1a4 gene. The schematic diagram is as follows:



Technical routes



- ➤ The Slc1a4 gene has 2 transcripts. According to the structure of Slc1a4 gene, exon4 of Slc1a4202(ENSMUST00000109594.8) transcript is recommended as the knockout region. The region contains 167bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Slc1a4* gene. The brief process is as follows: CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- > The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- > The *Slc1a4* gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



SIc1a4 solute carrier family 1 (glutamate/neutral amino acid transporter), member 4 [Mus musculus (house mouse)]

Gene ID: 55963, updated on 14-Jan-2021

Summary



Official Symbol Slc1a4 provided by MGI

Official Full Name solute carrier family 1 (glutamate/neutral amino acid transporter), member 4 provided by MGI

Primary source MGI:MGI:2135601

See related Ensembl:ENSMUSG00000020142

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as ASC, ASCT-1, ASCT1, AW045657, SATT

Expression Ubiquitous expression in CNS E18 (RPKM 12.1), whole brain E14.5 (RPKM 9.3) and 25 other tissuesSee more

Orthologs <u>human</u> all


Transcript information (Ensembl)



The gene has 2 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Slc1a4-202	ENSMUST00000109594.8	3926	<u>532aa</u>	Protein coding	CCDS24457		TSL:1, GENCODE basic, APPRIS P1,
Slc1a4-201	ENSMUST00000004634.7	3872	452aa	Protein coding	-		TSL:1 , GENCODE basic ,

The strategy is based on the design of *Slc1a4-202* transcript, the transcription is shown below:




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).



If you have any questions, you are welcome to inquire.

Tel: 400-9660890





