

***IL19* Cas9-CKO Strategy**

Designer: Yanhua Shen

Design Date: 2019-08-06

Project Overview

Project Name

IL19

Project type


Cas9-CKO

Strain background

C57BL/6JGpt

Conditional Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Il19* gene. The schematic diagram is as follows:



Technical routes

- The *Il19* gene has 4 transcripts. According to the structure of *Il19* gene, exon4-exon6 of *Il19*-203 (ENSMUST00000187410.6) transcript is recommended as the knockout region. The region contains 324bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Il19* gene. The brief process is as follows: CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

- According to the existing MGI data, Mice homozygous for a knock-out allele exhibit interleukin-23 (IL-23)-dependent epidermal hyperplasia. Mice homozygous for a different knock-out allele exhibit increased susceptibility to induced colitis with reduced B cell infiltration in chronic colitis.
- The *Il19* gene is located on the Chr1. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)

Il19 interleukin 19 [Mus musculus (house mouse)]

Gene ID: 329244, updated on 31-Jan-2019

Summary




Official Symbol	Il19 provided by MGI
Official Full Name	interleukin 19 provided by MGI
Primary source	MGI:MGI:1890472
See related	Ensembl:ENSMUSG00000016524
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Expression	Low expression observed in reference dataset See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 4 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
II19-203	ENSMUST00000187410.6	1135	176aa	Protein coding	CCDS15264	Q14BK1 Q8CJ70	TSL:5 GENCODE basic APPRIS P1
II19-201	ENSMUST00000016668.12	1021	176aa	Protein coding	CCDS15264	Q14BK1 Q8CJ70	TSL:1 GENCODE basic APPRIS P1
II19-202	ENSMUST00000112465.1	880	176aa	Protein coding	CCDS15264	Q14BK1 Q8CJ70	TSL:1 GENCODE basic APPRIS P1
II19-204	ENSMUST00000187916.6	720	101aa	Protein coding	-	A0A087WST1	TSL:2 GENCODE basic


The strategy is based on the design of *II19-203* transcript,The transcription is shown below



Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Mice homozygous for a knock-out allele exhibit interleukin-23 (IL-23)-dependent epidermal hyperplasia. Mice homozygous for a different knock-out allele exhibit increased susceptibility to induced colitis with reduced B cell infiltration in chronic colitis.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

