

Il1r1 Cas9-KO Strategy

Designer: QiongZhou

Project Overview

Project Name

Il1r1

Project type


Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Il1rl* gene. The schematic diagram is as follows:



- The *Il1r1* gene has 3 transcripts. According to the structure of *Il1r1* gene, exon3-exon7 of *Il1r1-201* (ENSMUST00000027241.10) transcript is recommended as the knockout region. The region contains 781bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Il1r1* gene. The brief process is as follows: CRISPR/Cas9 system v

- According to the existing MGI data, Mice homozygous for a knock-out allele exhibit increased susceptibility to bacterial infection, reduced IL1b responsiveness, delayed tooth eruption, decreased susceptibility to experimental autoimmune uveoretinitis, decreased susceptibility to kidney reperfusion injury, and late onset obesity.
- The *Il1r1* gene is located on the Chr1. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Il1r1 interleukin 1 receptor, type I [Mus musculus (house mouse)]

Gene ID: 16177, updated on 9-Apr-2019

Summary




Official Symbol	Il1r1 provided by MGI
Official Full Name	interleukin 1 receptor, type I provided by MGI
Primary source	MGI:MGI:96545
See related	Ensembl:ENSMUSG00000026072
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	CD121a, CD121b, IL-1R1, IL-iR, Il1r-1
Expression	Ubiquitous expression in liver E18 (RPKM 5.6), bladder adult (RPKM 4.5) and 27 other tissues See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 3 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Il1r1-201	ENSMUST00000027241.10	5819	576aa	Protein coding	CCDS35547	P13504 Q32MH0	TSL:1 GENCODE basic APPRIS P3
Il1r1-202	ENSMUST00000114795.2	4832	573aa	Protein coding	CCDS48246	Q8C833	TSL:1 GENCODE basic APPRIS ALT2
Il1r1-203	ENSMUST00000195402.1	473	No protein	Processed transcript	-	-	TSL:3


The strategy is based on the design of *Il1r1-201* transcript,The transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Mice homozygous for a knock-out allele exhibit increased susceptibility to bacterial infection, reduced IL1b responsiveness, delayed tooth eruption, decreased susceptibility to experimental autoimmune uveoritis, decreased susceptibility to kidney reperfusion injury, and late onset obesity.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

