

Hrh4 Cas9-KO Strategy

Designer: Jia Yu

Project Overview

Project Name

Hrh4

Project type

Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Hrh4* gene. The schematic diagram is as follows:



- The *Hrh4* gene has 3 transcripts. According to the structure of *Hrh4* gene, exon2 of *Hrh4-201* (ENSMUST00000041676.2) transcript is recommended as the knockout region. The region contains 164bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Hrh4* gene. The brief process is as follows: CRISPR/Cas9 system v

- According to the existing MGI data, Mice homozygous for a null allele exhibit decreased allergic response to airway inflammation and decreased Th2 responses.
- The *Hrh4* gene is located on the Chr18. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Hrh4 histamine receptor H4 [Mus musculus (house mouse)]

Gene ID: 225192, updated on 24-Feb-2019

Summary



Official Symbol	Hrh4 provided by MGI
Official Full Name	histamine receptor H4 provided by MGI
Primary source	MGI:MGI:2429635
See related	Ensembl:ENSMUSG000000037346
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	AXOR35, BG26, GPCR105, GPRv53, H4, H4R, HH4R
Expression	Biased expression in testis adult (RPKM 1.0) and spleen adult (RPKM 0.1) See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 3 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Hrh4-201	ENSMUST00000041676.2	1537	391aa	Protein coding	CCDS29069	Q91ZY2	TSL:1 GENCODE basic APPRIS P1
Hrh4-202	ENSMUST00000234084.1	1308	67aa	Protein coding	-	B2ZGH3	GENCODE basic
Hrh4-203	ENSMUST00000234565.1	520	141aa	Protein coding	-	B2ZGH2	GENCODE basic


The strategy is based on the design of *Hrh4-201* transcript,The transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Mice homozygous for a null allele exhibit decreased allergic response to airway inflammation and decreased Th2 responses.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

