

Rdx Cas9-CKO Strategy

Designer: Xiaojing Li
Design Date: 2019-9-11
Reviewer: Jia Yu

Project Overview

Project Name

Rdx

Project type


Cas9-CKO

Strain background

C57BL/6JGpt

Conditional Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Rdx* gene. The schematic diagram is as follows:



- The *Rdx* gene has 3 transcripts. According to the structure of *Rdx* gene, exon3-exon5 of *Rdx-201* (ENSMUST00000000590.15) transcript is recommended as the knockout region. The region contains 455bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Rdx* gene. The brief process is as follows: CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

- According to the existing MGI data, Mice homozygous for a targeted mutation display mild degenerative changes in the liver and hyperbilirubinemia. Adult homozygotes exhibit profound deafness, but not imbalance, associated with progressive degeneration of stereocilia of cochlear hair cells after the onset of hearing.
- The *Rdx* gene is located on the Chr9. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)

Rdx radixin [Mus musculus (house mouse)]

Gene ID: 19684, updated on 31-Jan-2019

Summary




Official Symbol	Rdx provided by MGI
Official Full Name	radixin provided by MGI
Primary source	MGI:MGI:97887
See related	Ensembl:ENSMUSG00000032050
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	AA516625
Expression	Ubiquitous expression in CNS E11.5 (RPKM 32.7), placenta adult (RPKM 29.6) and 23 other tissues See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 3 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Rdx-201	ENSMUST00000000590.15	4380	583aa	Protein coding	CCDS40634	P26043	TSL:1 GENCODE basic APPRIS P1
Rdx-203	ENSMUST00000163153.8	4131	583aa	Protein coding	CCDS40634	P26043	TSL:1 GENCODE basic APPRIS P1
Rdx-202	ENSMUST00000061352.10	1502	389aa	Protein coding	CCDS52793	Q7TSG6	TSL:1 GENCODE basic

The strategy is based on the design of *Rdx-201* transcript,The transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Mice homozygous for a targeted mutation display mild degenerative changes in the liver and hyperbilirubinemia. Adult homozygotes exhibit profound deafness, but not imbalance, associated with progressive degeneration of stereocilia of cochlear hair cells after the onset of hearing.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

