

Slc25a5 Cas9-CKO Strategy Rohalanakoch Co.

Designer: Lixin Lv

Project Overview



Project Name

Slc25a5

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Slc25a5 gene. The schematic diagram is as follows:



Technical routes



- The *Slc25a5* gene has 3 transcripts. According to the structure of *Slc25a5* gene, exon2-exon4 of *Slc25a5-201* (ENSMUST00000016463.3) transcript is recommended as the knockout region. The region contains most of the coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Slc25a5* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- ➤ The *Slc25a5* gene is located on the ChrX. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Slc25a5 solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 5 [Mus musculus (house mouse)]

Gene ID: 11740, updated on 7-Apr-2019

Summary



Official Symbol Slc25a5 provided by MGI

Official Full Name solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 5 provided by MGI

Primary source MGI:MGI:1353496

See related Ensembl: ENSMUSG00000016319

Gene type protein coding
RefSeq status REVIEWED

Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as Ant2

Summary This gene encodes a transmembrane domain-containing protein that localizes to the mitochondrial inner membrane. The encoded protein

facilitates the exchange of ADP from the cytoplasm with ATP from the mitochondria. Pseudogenes for this gene are found on multiple

chromosomes. [provided by RefSeq, May 2015]

Expression Ubiquitous expression in large intestine adult (RPKM 861.5), kidney adult (RPKM 667.1) and 27 other tissuesSee more

Orthologs <u>human</u> all


Transcript information (Ensembl)



The gene has 3 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
SIc25a5-201	ENSMUST00000016463.3	1240	298aa	Protein coding	CCDS30062	P51881 Q545A2	TSL:1 GENCODE basic APPRIS P1
SIc25a5-202	ENSMUST00000126608.1	989	No protein	Retained intron	688	*	TSL:1
SIc25a5-203	ENSMUST00000156672.1	765	No protein	Retained intron	1/40	-	TSL:1

The strategy is based on the design of Slc25a5-201 transcript, The transcription is shown below




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire. Tel: 400-9660890





