

# Slc25a4 Cas9-CKO Strategy Rohalanakoch Co.

Designer: Lixin Lv

# **Project Overview**



**Project Name** 

Slc25a4

**Project type** 

Cas9-CKO


Strain background

C57BL/6JGpt

## Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Slc25a4 gene. The schematic diagram is as follows:



#### Technical routes



- The Slc25a4 gene has 2 transcripts. According to the structure of Slc25a4 gene, exon2-exon3 of Slc25a4-201 (ENSMUST00000034049.4) transcript is recommended as the knockout region. The region contains 628bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Slc25a4* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

#### **Notice**



- ➤ According to the existing MGI data, Homozygous null mice exhibit a defect in mitochondrial energy metabolism and develop mitochondrial myopathy and hypertrophic cardiomyopathy, metabolic acidosis, and a severe exercise intolerance.
- > The Slc25a4 gene is located on the Chr8. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

### Gene information (NCBI)



### Slc25a4 solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 4 [Mus musculus (house mouse)]

Gene ID: 11739, updated on 7-Apr-2019

#### Summary



Official Symbol Slc25a4 provided by MGI

Official Full Name solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 4 provided by MGI

Primary source MGI:MGI:1353495

See related Ensembl:ENSMUSG00000031633

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as AU019225, Ant1, mANC1

Expression Broad expression in heart adult (RPKM 2616.6), cerebellum adult (RPKM 363.2) and 16 other tissuesSee more

Orthologs <u>human</u> all


# Transcript information (Ensembl)



The gene has 2 transcripts, all transcripts are shown below:


Name 🍦	Transcript ID 🍦	bp 🛊	Protein	Biotype	CCDS 🍦	UniProt 🍦	Flags
Slc25a4-201	ENSMUST00000034049.4	1925	<u>298aa</u>	Protein coding	CCDS40333 ₽	<u>P48962</u> ₽	TSL:1 GENCODE basic APPRIS P1
Slc25a4-202	ENSMUST00000155986.1	1275	No protein	Retained intron	7.5		TSL:1

The strategy is based on the design of Slc25a4-201 transcript, The transcription is shown below



### Genomic location distribution






### Protein domain





# Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Homozygous null mice exhibit a defect in mitochondrial energy metabolism and develop mitochondrial myopathy and hypertrophic cardiomyopathy, metabolic acidosis, and a severe exercise intolerance.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





