

Hsf2bp Cas9-KO Strategy To hall alto color color

Designer: Lixin LYU

Project Overview



Project Name

Hsf2bp

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Hsf2bp* gene. The schematic diagram is as follows:



Technical routes



- The *Hsf2bp* gene has 6 transcripts. According to the structure of *Hsf2bp* gene, exon4-exon5 of *Hsf2bp-201* (ENSMUST00000002145.11) transcript is recommended as the knockout region. The region contains 283bp coding sequence Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Hsf2bp* gene. The brief process is as follows: CRISPR/Cas9 system

Notice



- > The *Hsf2bp* gene is located on the Chr17. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Hsf2bp heat shock transcription factor 2 binding protein [Mus musculus (house mouse)]

Gene ID: 74377, updated on 5-Feb-2019

Summary

☆ ?

Official Symbol Hsf2bp provided by MGI

Official Full Name heat shock transcription factor 2 binding protein provided by MGI

Primary source MGI:MGI:1921627

See related Ensembl: ENSMUSG00000002076

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 4932437G14Rik, Meilb2

Expression Biased expression in testis adult (RPKM 5.3), kidney adult (RPKM 0.7) and 1 other tissueSee more

Orthologs <u>human all</u>


Transcript information (Ensembl)



The gene has 6 transcripts, all transcripts are shown below:


| Name | Transcript ID | bp | Protein | Biotype | CCDS | UniProt | Flags |
|------------|-----------------------|------|------------|----------------------|-----------|---------|---------------------------------|
| Hsf2bp-206 | ENSMUST00000238192.1 | 3115 | 338aa | Protein coding | CCDS50056 | | GENCODE basic APPRIS P2 |
| Hsf2bp-201 | ENSMUST00000002145.11 | 2867 | 338aa | Protein coding | CCDS50056 | Q9D4G2 | TSL:1 GENCODE basic APPRIS P2 |
| Hsf2bp-202 | ENSMUST00000133308.2 | 1479 | 263aa | Protein coding | - | F6UJ67 | TSL:3 GENCODE basic APPRIS ALT2 |
| Hsf2bp-204 | ENSMUST00000236321.1 | 1480 | No protein | Processed transcript | 2 | - | |
| Hsf2bp-205 | ENSMUST00000237527.1 | 1195 | No protein | Processed transcript | 5 | | |
| Hsf2bp-203 | ENSMUST00000138172.1 | 387 | No protein | Processed transcript | | - | TSL:5 |

The strategy is based on the design of *Hsf2bp-201* transcript, The transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).



If you have any questions, you are welcome to inquire. Tel: 400-9660890





