


Upf1 Cas9-KO Strategy

Designer:Lixin LYU Design Date:2019-8-12

empharmatect

Project Overview






Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Upf1* gene. The schematic diagram is as follows:





- The Upfl gene has 2 transcripts. According to the structure of Upfl gene, exon2-exon3 of Upfl-201 (ENSMUST00000075666.7) transcript is recommended as the knockout region. The region contains 230bp coding sequence. Knock out the region will result in disruption of protein function.
- > In this project we use CRISPR/Cas9 technology to modify Upfl gene. The brief process is as follows: CRISPR/Cas9 system v

- According to the existing MGI data, Mice homozygous for a targeted null mutation are viable in the pre-implantation period but resorb in the early post-implantation period.
- The Upfl gene is located on the Chr8. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Notice

Gene information (NCBI)



\$?

Upf1 UPF1 regulator of nonsense transcripts homolog (yeast) [Mus musculus (house mouse)]

Gene ID: 19704, updated on 31-Jan-2019

Summary

| Official Symbol | Upf1 provided by MGI |
|-----------------------|--|
| Official Full Name | UPF1 regulator of nonsense transcripts homolog (yeast) provided by MGI |
| Primary source | MGI:MGI:107995 |
| See related | Ensembl:ENSMUSG0000058301 |
| Gene type | protein coding |
| RefSeq status | VALIDATED |
| Organism | Mus musculus |
| Lineage | Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; |
| | Muroidea; Muridae; Murinae; Mus; Mus |
| Also known as | B430202H16Rik, NORF1, PNORF-1, Rent1, Upflp |
| Expression | Ubiquitous expression in thymus adult (RPKM 29.6), adrenal adult (RPKM 22.9) and 28 other tissuesSee more |
| Orthologs | human all |

江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890

Transcript information (Ensembl)



The gene has 2 transcripts, all transcripts are shown below:

| Name | Transcript ID | bp | Protein | Biotype | CCDS | UniProt | Flags |
|----------|----------------------|------|---------------|----------------|-----------|---------|---------------------------------|
| Upf1-201 | ENSMUST00000075666.7 | 4618 | <u>1124aa</u> | Protein coding | CCDS52572 | Q9EPU0 | TSL:1 GENCODE basic APPRIS P2 |
| Upf1-202 | ENSMUST00000215817.1 | 4518 | <u>1113aa</u> | Protein coding | - | Q9EPU0 | TSL:1 GENCODE basic APPRIS ALT2 |

The strategy is based on the design of *Upf1-201* transcript, The transcription is shown below

< Upf1-201 protein coding

Reverse strand


21.75 kb

GemPharmatech Co., Ltd.

Genomic location distribution



400-9660890




江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

Protein domain






江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890

Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Mice homozygous for a targeted null mutation are viable in the pre-implantation period but resorb in the early post-implantation period.



If you have any questions, you are welcome to inquire. Tel: 400-9660890



