

Timp2 Cas9-KO Strategy

Designer: JiaYu

Project Overview

Project Name

Timp2

Project type

Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Timp2* gene. The schematic diagram is as follows:



- The *Timp2* gene has 2 transcripts. According to the structure of *Timp2* gene, exon2 of *Timp2-201* (ENSMUST00000017610.9) transcript is recommended as the knockout region. The region contains 101bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Timp2* gene. The brief process is as follows: CRISPR/Cas9 system

- According to the existing MGI data, Homozygotes for targeted null mutations exhibit impaired activation of pro-matrix metalloproteinase-2, but appear phenotypically normal.
- The *Timp2* gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Timp2 tissue inhibitor of metalloproteinase 2 [Mus musculus (house mouse)]

Gene ID: 21858, updated on 19-Feb-2019

Summary




Official Symbol	Timp2 provided by MGI
Official Full Name	tissue inhibitor of metalloproteinase 2 provided by MGI
Primary source	MGI:MGI:98753
See related	Ensembl:ENSMUSG00000017466
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	D11Bwg1104e, Timp-2
Expression	Broad expression in bladder adult (RPKM 237.6), lung adult (RPKM 168.3) and 23 other tissues See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 2 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Timp2-201	ENSMUST00000017610.9	3709	220aa	Protein coding	CCDS25699	Q6PI17	TSL:1 GENCODE basic APPRIS P1
Timp2-202	ENSMUST00000155707.2	718	143aa	Protein coding	-	B1AQJ3	CDS 3' incomplete TSL:3


The strategy is based on the design of *Timp2-201* transcript,The transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Homozygotes for targeted null mutations exhibit impaired activation of pro-matrix metalloproteinase-2, but appear phenotypically normal.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

