

Rictor Cas9-KO Strategy


Designer: Reviewer:

Design Date:

Daohua Xu Huimin Su 2019-9-28

Project Overview






Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Rictor* gene. The schematic diagram is as follows:





- The Rictor gene has 5 transcripts. According to the structure of Rictor gene, exon3 of Rictor-201 (ENSMUST00000061656.7) transcript is recommended as the knockout region. The region contains 98bp coding sequence. Knock out the region will result in disruption of protein function.
- > In this project we use CRISPR/Cas9 technology to modify *Rictor* gene. The brief process is as follows: CRISPR/Cas9 system

- According to the existing MGI data, Mice homozygous for a null allele exhibit embryonic lethality during organogenesis associated with abnormal placental morphology.
 - The *Rictor* gene is located on the Chr15. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Notice

Gene information (NCBI)



\$?

Rictor RPTOR independent companion of MTOR, complex 2 [Mus musculus (house mouse)]

Gene ID: 78757, updated on 9-Apr-2019

Summary

Official Symbol	Rictor provided by MGI					
Official Full Name	RPTOR independent companion of MTOR, complex 2 provided by MGI					
Primary source	MGI:MGI:1926007					
See related	Ensembl:ENSMUSG00000050310					
Gene type	protein coding					
RefSeq status	VALIDATED					
Organism	Mus musculus					
Lineage	ge Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;					
	Muroidea; Muridae; Murinae; Mus; Mus					
Also known as	4921505C17Rik, 6030405M08Rik, AVO3, AW492497, D530039E11Rik					
Expression	Ubiquitous expression in thymus adult (RPKM 3.9), cerebellum adult (RPKM 2.3) and 28 other tissues See more					
Orthologs	human all					

江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890

Transcript information (Ensembl)



The gene has 5 transcripts, all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Rictor-201	ENSMUST0000061656.7	9312	<u>1708aa</u>	Protein coding	CCDS37032	<u>Q6Q106</u>	TSL:1 GENCODE basic APPRIS P1
Rictor-202	ENSMUST00000226181.1	4695	No protein	Retained intron	-	-8	
Rictor-204	ENSMUST00000228266.1	3879	No protein	Retained intron	-	10	
Rictor-203	ENSMUST00000226201.1	2633	No protein	Retained intron	2	20	
Rictor-205	ENSMUST00000228918.1	1211	No protein	Retained intron		-	

92.02 kb

The strategy is based on the design of *Rictor-201* transcript, The transcription is shown below

Rictor-201 > protein coding


江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890

Forward strand

Genomic location distribution



江苏集萃药康生物科技股份有限公司


GemPharmatech Co., Ltd.

400-9660890

集萃药康 GemPharmatech


Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Mice homozygous for a null allele exhibit embryonic lethality during organogenesis associated with abnormal placental morphology.

江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890



If you have any questions, you are welcome to inquire. Tel: 400-9660890



