

# Eif2ak2 Cas9-CKO Strategy


Designer: Reviewer:

**Design Date:** 

Daohua Xu Huimin Su 2019-11-22

### **Project Overview**






### **Conditional Knockout strategy**



400-9660890

This model will use CRISPR/Cas9 technology to edit the *Eif2ak2* gene. The schematic diagram is as follows:



江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.



The *Eif2ak2* gene has 4 transcripts. According to the structure of *Eif2ak2* gene, exon3 of *Eif2ak2-201* (ENSMUST00000024884.4) transcript is recommended as the knockout region. The region contains 121bp coding sequence. Knock out the region will result in disruption of protein function.

In this project we use CRISPR/Cas9 technology to modify *Eif2ak2* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

### Notice



- According to the existing MGI data, Mice homozygous for disruptions in this gene display altered susceptibility to viral infection.
  - > The *Eif2ak2* gene is located on the Chr17. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

## **Gene information (NCBI)**



\$ ?

#### Eif2ak2 eukaryotic translation initiation factor 2-alpha kinase 2 [Mus musculus (house mouse)]

Gene ID: 19106, updated on 19-Feb-2019

#### Summary

Official Symbol	Eif2ak2 provided by MGI
Official Full Name	eukaryotic translation initiation factor 2-alpha kinase 2 provided by MGI
<b>Primary source</b>	MGI:MGI:1353449
See related	Ensembl:ENSMUSG0000024079
Gene type	protein coding
<b>RefSeq status</b>	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;
	Muroidea; Muridae; Murinae; Mus; Mus
Also known as	2310047A08Rik, 4732414G15Rik, Al467567, Al747578, Pkr, Prkr, Tik
Expression	Ubiquitous expression in liver E18 (RPKM 2.5), placenta adult (RPKM 2.4) and 27 other tissues See more
Orthologs	human all

#### 江苏集萃药康生物科技股份有限公司

#### GemPharmatech Co., Ltd.

#### 400-9660890



400-9660890

The gene has 4 transcripts, all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Eif2ak2-201	ENSMUST0000024884.4	4313	<u>515aa</u>	Protein coding	CCDS28980	<u>Q03963</u>	TSL:1 GENCODE basic APPRIS P1
Eif2ak2-204	ENSMUST00000171852.1	704	No protein	Retained intron	-	-	TSL:2
Eif2ak2-202	ENSMUST00000169940.1	628	No protein	Retained intron	-	-	TSL:2
Eif2ak2-203	ENSMUST00000171451.1	574	No protein	IncRNA	1 1	22	TSL:2

The strategy is based on the design of Eif2ak2-201 transcript, The transcription is shown below

#### < Eif2ak2-201 protein coding

Reverse strand -


- 30.01 kb --

#### 江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

### **Genomic location distribution**






江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890


### **Protein domain**





### Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Mice homozygous for disruptions in this gene display altered susceptibility to viral infection.



If you have any questions, you are welcome to inquire. Tel: 400-9660890



