

Slamf7 Cas9-KO Strategy

Designer: Daohua Xu

Reviewer: Huimin Su

Design Date: 2019-8-29

Project Overview



Project Name

Slamf7

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Slamf7* gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Slamf7* gene has 5 transcripts. According to the structure of *Slamf7* gene, exon3-exon6 of *Slamf7-203*(ENSMUST00000192195.5) transcript is recommended as the knockout region. The region contains 812bp coding sequence.

 Knock out the region will result in disruption of protein function.
- > In this project we use CRISPR/Cas9 technology to modify Slamf7 gene. The brief process is as follows: CRISPR/Cas9 system

Notice



- > According to the existing MGI data, Natural Killer cells from null homozygotes display impaired cytolysis of certain target cells.
- > The *Slamf7* gene is located on the Chr1. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Slamf7 SLAM family member 7 [Mus musculus (house mouse)]

Gene ID: 75345, updated on 31-Jan-2019

Summary

☆ ?

Official Symbol Slamf7 provided by MGI

Official Full Name SLAM family member 7 provided by MGI

Primary source MGI:MGI:1922595

See related Ensembl: ENSMUSG00000038179

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 19A, 19A24, 4930560D03Rik, CRACC, CS1

Expression Biased expression in testis adult (RPKM 3.6), spleen adult (RPKM 2.3) and 10 other tissuesSee more

Orthologs <u>human all</u>


Transcript information (Ensembl)



The gene has 5 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Slamf7-203	ENSMUST00000192195.5	3975	333aa	Protein coding	CCDS15500	A0A0R4J2D8	TSL:1 GENCODE basic APPRIS P3
Slamf7-202	ENSMUST00000192024.5	1361	294aa	Protein coding	CCDS83636	A0A0A6YW73	TSL:1 GENCODE basic APPRIS ALT2
Slamf7-201	ENSMUST00000111276.8	1082	<u>333aa</u>	Protein coding	CCDS15500	A0A0R4J2D8	TSL:1 GENCODE basic APPRIS P3
Slamf7-204	ENSMUST00000194531.5	1604	<u>335aa</u>	Protein coding	120	A0A0R4J2D6	TSL:1 GENCODE basic APPRIS ALT2
Slamf7-205	ENSMUST00000194791.1	909	281aa	Protein coding	(5)	A0A0A6YWL9	TSL:1 GENCODE basic APPRIS ALT2

The strategy is based on the design of Slamf7-203 transcript, The transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Natural Killer cells from null homozygotes display impaired cytolysis of certain target cells.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





