

Polr1b Cas9-KO Strategy

Designer: Daohua Xu

Reviewer: Huimin Su

Design Date: 2019-11-22

Project Overview



Project Name

Polr1b

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Polr1b* gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Polr1b* gene has 5 transcripts. According to the structure of *Polr1b* gene, exon2-exon4 of *Polr1b-202*(ENSMUST00000103205.10) transcript is recommended as the knockout region. The region contains 448bp coding sequence Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Polr1b* gene. The brief process is as follows: CRISPR/Cas9 system

Notice



- ➤ According to the existing MGI data, Mice homozygous for a gene trapped allele exhibit embryonic lethality prior to implantation.
- The *Polr1b* gene is located on the Chr2. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Polr1b polymerase (RNA) I polypeptide B [Mus musculus (house mouse)]

Gene ID: 20017, updated on 31-Jan-2019

Summary

☆ ?

Official Symbol Polr1b provided by MGI

Official Full Name polymerase (RNA) I polypeptide B provided by MGI

Primary source MGI:MGI:108014

See related Ensembl: ENSMUSG00000027395

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 128kDa, D630020H17Rik, RPA116, RPA135, RPA2, Rpo1-2

Expression Ubiquitous expression in limb E14.5 (RPKM 5.9), CNS E11.5 (RPKM 5.4) and 28 other tissuesSee more

Orthologs <u>human</u> all


Transcript information (Ensembl)



The gene has 5 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Polr1b-202	ENSMUST00000103205.10	3998	<u>1135aa</u>	Protein coding	CCDS16720	P70700	TSL:1 GENCODE basic APPRIS P1
Polr1b-201	ENSMUST00000028874.7	2769	<u>754aa</u>	Protein coding	19-5	A2AP84	TSL:1 GENCODE basic
Polr1b-205	ENSMUST00000147727.1	720	No protein	IncRNA	0.20	ū.	TSL:3
Polr1b-203	ENSMUST00000133345.1	663	No protein	IncRNA	7528	-	TSL:2
Polr1b-204	ENSMUST00000144004.1	612	No protein	IncRNA	1871	5	TSL:2

The strategy is based on the design of Polr1b-202 transcript, The transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Mice homozygous for a gene trapped allele exhibit embryonic lethality prior to implantation.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





