

Angptl6 Cas9-CKO Strategy

Designer: Daohua Xu

Reviewer: Huimin Su

Design Date: 2019-11-14

Project Overview



Project Name

Angptl6

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Angptl6 gene. The schematic diagram is as follows:



Technical routes



- The Angptl6 gene has 1 transcript. According to the structure of Angptl6 gene, exon3 of Angptl6-201 (ENSMUST00000043726.7) transcript is recommended as the knockout region. The region contains 178bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Angptl6* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- ➤ According to the existing MGI data, Most mice homozygous for a knock-out allele die around E13 with cardiovascular defects; survivors develop obesity, lipid accumulation in skeletal muscle and liver, hyperglycemia and hyperinsulinemia, and insulin resistance accompanied by reduced energy expenditure and whole-body oxygen consumption.
- The *Angptl6* gene is located on the Chr9. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Angptl6 angiopoietin-like 6 [Mus musculus (house mouse)]

Gene ID: 70726, updated on 31-Jan-2019

Summary

☆ ?

Official Symbol Angptl6 provided by MGI

Official Full Name angiopoietin-like 6 provided by MGI

Primary source MGI:MGI:1917976

See related Ensembl:ENSMUSG00000038742

Gene type protein coding
RefSeq status PROVISIONAL
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 6330404E11Rik, AGF, ARP3, Arp5

Expression Ubiquitous expression in liver adult (RPKM 15.9), placenta adult (RPKM 7.6) and 27 other tissuesSee more

Orthologs <u>human</u> all


Transcript information (Ensembl)



The gene has 1 transcript, and the transcript is shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Angptl6-	01 <u>ENSMUST00000043726.7</u>	1582	457aa	Protein coding	CCDS22886	Q8R0Z6	TSL:1 GENCODE basic APPRIS P1

The strategy is based on the design of Angptl6-201 transcript, The transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Most mice homozygous for a knock-out allele die around E13 with cardiovascular defects; survivors develop obesity, lipid accumulation in skeletal muscle and liver, hyperglycemia and hyperinsulinemia, and insulin resistance accompanied by reduced energy expenditure and whole-body oxygen consumption.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





