

S100a6 Cas9-CKO Strategy

Designer: Xueting Zhang

Reviewer: Yanhua Shen

Design Date: 2019-8-27

Project Overview

Project Name

S100a6

Project type


Cas9-CKO

Strain background

C57BL/6JGpt

Conditional Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *S100a6* gene. The schematic diagram is as follows:



- The *S100a6* gene has 4 transcripts. According to the structure of *S100a6* gene, exon2-exon3 of *S100a6-201* (ENSMUST00000001051.8) transcript is recommended as the knockout region. The region contains all of the coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *S100a6* gene. The brief process is as follows: CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice

- The floxed region is near to the C-terminal of and *S100a5* gene, this strategy may influence the regulatory function of the C-terminal of and *S100a5* gene.
- The *S100a6* gene is located on the Chr3. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)

S100a6 S100 calcium binding protein A6 (calcylin) [*Mus musculus* (house mouse)]

Gene ID: 20200, updated on 12-Aug-2019

Summary

Official Symbol S100a6 provided by [MGI](#)
Official Full Name S100 calcium binding protein A6 (calcylin) provided by [MGI](#)
Primary source [MGI:MGI:1339467](#)
See related [Ensembl:ENSMUSG000000001025](#)
Gene type protein coding
RefSeq status VALIDATED
Organism [Mus musculus](#)
Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as 2A9; PRA; 5B10; Cacy; CALCYCLIN
Expression Biased expression in bladder adult (RPKM 1598.0), colon adult (RPKM 575.5) and 9 other tissues [See more](#)
Orthologs [human](#) [all](#)

Genomic context

Location: 3 F1; 3 39.35 cM

See S100a6 in [Genome Data Viewer](#)

Exon count: 3


Annotation release	Status	Assembly	Chr	Location
108	current	GRCm38.p6 (GCF_000001635.26)	3	NC_000069.6 (90612894..90614414)
Build 37.2	previous assembly	MGSCv37 (GCF_000001635.18)	3	NC_000069.5 (90416816..90418336)

Transcript information (Ensembl)


The gene has 4 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
S100a6-201	ENSMUST00000001051.8	731	89aa	Protein coding	CCDS38506	P14069 Q545I9	TSL:1 GENCODE basic APPRIS P1
S100a6-203	ENSMUST00000198128.1	464	89aa	Protein coding	CCDS38506	P14069 Q545I9	TSL:3 GENCODE basic APPRIS P1
S100a6-204	ENSMUST00000200289.1	783	89aa	Nonsense mediated decay	-	P14069 Q545I9	TSL:3
S100a6-202	ENSMUST00000197189.1	338	No protein	Retained intron	-	-	TSL:2


The strategy is based on the design of *S100a6-201* transcript,The transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

